R

115A



GLOBAL-FITNESS.ES

FUNCTIONAL





EQUIPMENT FOR THE FITTEST,

This is our goal! Xenios USA[®] is a company focus on development, production and marketing of professional workout tools for those who like to play with the Sport of Fitness: Crossfit[®], Functional Training, Weight Lifting, Power Lifting, Strength and Conditioning are just some of field our products are employed in.

The road to the fittest is made of heavy duty workouts and so the equipment needs to be able to bear such kind of severe training sessions.

Xenios USA[®] was born on 2009, gathering all the ideas, training methods, trends, and new ways of the worldwide workout markets: learning from the legacy of gym training and surfing the new wave of the Functional Training and Performance Training methods. Xenios USA[®] hired a team of experienced master trainers, biomechanical engineers, product managers, and marketing managers in order to build and then keep updated a full range of products that could really match the new workout trends.

Xenios USA[®] products were originally developed, and so they keep being developed, by a joint venture team of American and Italian product designers.

The Xenios USA[®] main mission is headed to provide as more as possible reliable tools to those who need to really stress them without having to fight with faults and breakages of the equipment.

All Xenios USA[®] products are drawn, tested and then manufactured by Xenios USA[®]. The process to let an idea come true, is strictly ruled by highest standards of product quality. Each mass production batch is made under a close quality control and all products that can't match the Xenios USA[®] requirements are rejected.

All raw materials and production processes, like steel welding and bending or steel coating are made according to the Xenios USA[®] data sheets and most of the times they need to match over-the-standard parameters.

Most of the Xenios USA[®] products are furthermore tested and certified by experts of products safety, like, for example the TUV-SUD[®] that was chosen to test all the XRIG[™] products.

At Xenios USA[®] we believe in the future of the Sport of Fitness: we believe most of people will sooner or later approach the Functional Training classes, falling in love with the incredible performance goals that can be achieved. That is the reason we keep investing all of our time and efforts by the research and development of new training tools able to satisfy from time to time new Coaches' needs.

We are proud to have been chosen by many Affiliate Owners as their equipment source and we are furthermore proud to equip some of the most famous Throw Down Contest. Both help us to learn either from the daily use of our products and from their behavior while stressed by professional athletes. Our challenge keep going on day by day.

Stay tuned with us and the Sport of Fitness!



CrossFit [®] is a registered trademark of Crossfit Inc.(USA). The Xenios USA company and registered trademarks are not affiliated and/or associated with and/or endorsed and/or sponsored by Crossfit Inc. The Xenios USA products and services are not endorsed, tested, sponsored by and/or associated with Crossfit Inc. and/or with any of the registered trademarks, products and services of Crossfit Inc.



THAN A WORKOU

At Xenios USA® we couldn't consider our mission accomplished by just developing and manufacturing high-end workout tools. Since we operate within a brand-new kind of sport market, we have thought to those who are new to these markets as well, and so those who need to be supported at the beginning, or, even all along their path. Xenios USA® consultant services were thought as a value-added of Xenios USA® products and they can be purchased either as an add-on for a first installation order, or while an Affiliate Box business is already running. Ask any further to the Xenios USA® Team.



ROAD TO THE BOX R2B it stands for "Road to the Box". It is a kind of training course for those who are going to become an Affiliate owner or manager. Most of Coaches or Athletes who want to switch their sport passion in to a business opportunity, stuck at the entrance door of the business: how to set the business up? What are the main rules to be followed? How to draft a business plan to know when I will start earning? How to lay down the equipment within the layout of the floor? What's the perfect

list of equipment I may need? What else? Am I sure to be ready to organize and to schedule the classes? These are just some of the questions we are going to answer at, thru the R2B program. R2B is a program developed and managed by an experienced team of Coaches and Box owners outsourced by Xenios USA.*



XENIOS USA ACADEMY the Academy of Xenios USA® was born as a kind of container of specialty workshops held by professional coaches. The Academy doesn't aim to be a school or a certified workout method, but just a gateway for coaches and athletes, to participate to workshops thought to deepen several workout subjects and aspects: Weightlifting and Powerlifting techniques, Kettlebell training, Clubbell[®] training, mobility and rehab, advanced gymnastic movements, are just some of the topics the Xenios USA® Academy seminars will carry on. The Xenios USA® Academy calendar and team

of coaches may change from Country to Country and all the seminars' venues are selected just among the full-equipped Xenios USA® Flagship Workout sites. Stay tuned with our social media to keep being informed about dates to be saved!



BOX BUILDING When an Affiliate Box is about to be set-up, one of the heaviest lorry to bear for the new owner is just the first installation of all the purchased workout tools, stations and facility outfitting.

At Xenios USA[®] we have built a team of experienced workers that could be hired by our clients in order to provide them a ground-up installation. By purchasing the "Box Building" service (where available), the Xenios USA's clients could be assisted on items unpacking, floor laying, Rig and Rack mounting and more, up to the rubbish collection and disposal while all job will be done. The "Box Building" could be purchased as an add-on of a Xenios USA® full-equipped Box order and prices may vary according to the several options the customers could thick in or out.



FLAGSHIP BOX at Xenios USA® we believe that those who really want to trust our brand and products, need to have the chance to be more than a client. So we have thought to the Xenios USA® Flagship contract: if you really intend to full-equip your Box with all Xenios USA® gear, from ground up, we can provide you a special package, made of products, services and advantages, that we use to call "really all-inclusive". The whole lay-out of your Affiliate will be thought and drawn by our designers and it will be fully decorated with our brand image. Flagships will be just few per each Country. They will need to match some facility requirements and they will be a kind of special team of Boxes where new items will be tested.

or where workshops of the Xenios USA Academy will be held, or where tools will be always kept updated. The Xenios USA® Flagship program was thought to offer our best to those who really want to be Xenios USA®. Attention: some of the above services may not be available within some Countries.

FLAGSHIP BOX at Xenios USA[®] we believe that those who really want to trust our brand and products, need to have the chance to be more than a client. So we have thought to the Xenios USA[®] Flagship contract: if you really intend to full-equip your Box with all Xenios USA[®] gear, from ground up, we can provide you a special package, made of products, services and advantages, that we use to call "really all-inclusive". The whole lay-out of your Affiliate will be thought and drawn by our designers and it will be fully decorated with our brand image. Flagships will be just few per each Country. They will need to match some facility requirements and they will be a kind of special team of Boxes where new items will be tested, or where workshops of the Xenios USA Academy will be held, or where tools will be always kept updated. The Xenios USA[®] Flagship program was thought to offer our best to those who really want to be Xenios USA[®]. Attention: some of the above services may not be available within some Countries.

RZF

WE REALLY CONCERN ABOUT SAFETY

At Xenios USA[®] we believe that a good and powerful marketing is not the only way to let a workout tool be really trustable, durable and safe. A serious and as longer as possible products' warranty chart is one more evidence to let clients believe, but it is not yet the ultimate key-point. At Xenios USA[®] we develop and draw our products by ourselves, we always work by prototypes that need to be tested in order to confirm that an idea can be really come true and so goes in to a mass-manufacturing process. We seriously control the quality of the production processes and the finished goods, by rejecting all items that can't match our high quality requirements. We care about packaging and carrying. We listen to all after-sales claims and we take all clients reports in serious consideration: customers' feed-back is the best way to make all products fitting the true needs of those who buy and use them.

So, what else? The Certifications: at Xenios USA[®] we like to overstress our products and we also like to let professionals of products' safety to do it. We like our quality to be also tested by third-parts. Furthermore, we do not just follow the rules about products' safety. We like to go beyond in testing, and to be able to give to our clients a really safe and severe tested range of products. A tested and certified product is not just a good purchase that could last as longer as possible, or bear severe workouts. A tested product can be also a kind of insurance for those who are going to be an owner or a manager of an Affiliate, a Gym, a Training Center. Headache-less products could be the right way to offer to members a safe workout environment.

X		
		500
	Test report no.: MEC 14099.00	
	Centro: Insection arefammed	
	Perrafic	and a
	Products toxind had no charge to design, residential, comp hadar declaration. Itsi: Atlantation reflect to the leader are maniformed.	anality or proceeding according to benness spino described to the Taul typot above
	to case of any charges his advantator will expressed and and under to water the approxim	lada may nagate injulities of some tists in
	This absolution descript allow the use of TOV ISID meth.	1
		DISU-
	Scarrogen (TO)	P Deniele Magger
	Date: 3014-10-23	10V talk PS Chill Chanalisma Manager
3		
	No TINI AND DESIGN PERMITING A NUMBER	sangin 1, 1939) harragin (fumc)

TUV-SUD: most of our products (such as benches, racks, Crossfit[®] stations etc..) are tested and certified by the TUV-SUD[®], that is one of the worldwide most affordable product testing company. All products are tested in order to comply with the latest products safety regulations (E.G: in Europe the EN-ISO 20957-1, EN-ISO 957-2 and EN-ISO 957-4)*. All along the catalogue we have mentioned which products are tested according to TUV-SUD[®] safety specs.

We furthermore care about the safety of the electronic products we carry. Either for the Xenios USA[®] items and for any third-brand product, we make sure they feature all needed certification, such as, for example, the CE and the ROHS ones^{*}.

In order to make really reliable products, we also concern about safety and quality certifications of raw materials (such as, for example, the steel tubes used to make the whole XRIG[™] range of items), painting and coating materials and processes, hardware, welding process and welder's certified skills. A product making process involve dozens of matters, from raw materials selection up to the packaging of the

finished goods, and our R&D and Product Team is just formed by experienced technicians and engineers that can let us be proud to label a workout tool with our logo.

*Some of the mentioned products' safety regulations and/or safety marks may not be valid for some Countries.

CrossFit [®] is a registered trademark of Crossfit Inc.(USA). The Xenios USA company and registered trademarks are not affiliated and/or associated with and/or endorsed and/or sponsored by Crossfit Inc. The Xenios USA products and services are not endorsed, tested, sponsored by and/or associated with Crossfit Inc. and/or with any of the registered trademarks, products and services of Crossfit Inc.





At Xenios USA[®] we have thought to those who really need to face severe workout. The Magnum[™] series was born as a kind of next-level version of some of the items commonly employed within heavy duty WOD.

Our R&D team has oversized some of our tools in order to switch them in to a tanklike series. Any of those products is headed to the Strongmen or to the Boxes where big guys are working out. Magnum[™] products are almost unbreakable.


At Xenios USA[®] we have thought to the best way to let some products be also manufactured following a kind of next-level bill of specifications. There are some workout tools, such as the Squat Stand, or the Yoke and Sled, or the Utility Flat Bench, or many parts and pre-set configurations of the XRIG[™] series, that may be employed to bear tough workouts or quite heavy body-weights, such as the ones of the Strongmen. Due to those reasons, all mentioned items have been also drawn bigger and stronger: they have been drawn in order to comply with the serious overloading tests performed on to all the products that aim to belong to the MAGNUM[™] series. All products made to belong to the MAGNUM[™] series are made with an industrial grade of steel tubes. All square steel tubes are bigger in size - switched from the standard 6x6 cm. to the oversized 8x8 cm. - and in thickness – switched from the standard 10 Gauge (3 mm.) or 11 Gauge (3.5 mm) to the oversized 8 Gauge (4.2 mm.).

All MAGNUM[™] series products are welded by using a special certified kind of welding-robots, commonly involved with the construction of industrial machines like big cranes.

All Steel plates and sheets used to manufacture the MAGNUM[™] products are thicker than the standard ones. Furthermore, the MAGNUM[™] products are tested in order to bear heavier weights: three times higher than their "younger" brothers. E.G.: a Magnum Squat Stand is tested to bear up to 1500 Kg. so we can say it is almost unbreakable.

Xenios USA®

6



All MAGNUM[™] products parts are made by using industrial grade steel tubes so to really be ready to bear "oversized" workouts. The steel used to make the MAGNUM[™] tubes is normally employed in industrial machine constructions, such as the building cranes. All square tubes are 8x8 cm. sized and 4.2 mm. thickness (8 Gauges), while all the round tubes are 32 mm. diameter by 4 mm. thickness. All steel plates and brackets are made using no-lower than 8 mm. thickness steel sheets. All main steel parts are bolted together just by using M16 bolts, coupled with M16 self-locking nuts: up to 300 Nm in tightening strength. All bolts feature safety pvc end-caps so to avoid any chance of injury with the offset of the same bolts out of the nuts after being tightened. All hardware is zinc plated so to be rust-proof.

FUNCTIONAL INDEX

WEIGHT PLATES	Pg. 9		GYMNASTIC AND Bodyweight gear	Pg. 65	
DUMBBELLS	Pg. 12		UNCONVENTIONAL Gear	Pg. 78	
BARS	Pg. 16		WEIGHT AND POWER Lifting	Pg. 83	
BARS ACCESSORIES	Pg. 25	CO CO	STRONGMEN GEAR	Pg. 89	
KETTLEBELLS	Pg. 30	8	CARDIO ENDURANCE	Pg. 97	
TACFIT® CLUBBELLS®	Pg. 34	♦ (2) nume	FIGHTER GEAR	Pg. 100	
TRAINING BAGS	Pg. 35	Exercise Contraction	WORKOUT GEAR	Pg. 101	\$ 9
TRAINING BALLS	Pg. 37	0000	RE-HAB AND MOBILITY	Pg. 106	Sector Sector
TRAINING ROPES	Pg. 44		FACILITY OUTFITTING	Pg. 115	07:88:88
TRAINING SLEDS	Pg. 48		XRIG [™] STATIONS	Pg. 125	
PLYOMETRIC GEAR	Pg. 55	Xennes	XRIG™ - PARTS AND OPTIONS	Pg. 147	
ACCELERATION AND Agility gear	Pg. 58			Dc 174	
JUMP ROPES	Pg. 64	CAR ST	#TO BE XENIOS USA	Pg. 174	

Some of the products of this catalogue may not be available within some Countries. Ask to the Xenios USA Team in order to know exactly what are the workout tools that can be purchased within each Country.





IT PLATES





⚠ 10.000 UNBROKEN DROPS TESTED

	TEST BUMPER PLATES	A 8.000 UNBROKEN DROPS TESTED
PSBPRBPL5	Light Grey Rubber Contest Bumper Plate w/stainless steel inner ring - 5 Kg.	
PSBPRBPL10	Green Rubber Contest Bumper Plate w/stainless steel inner ring - 10 Kg.	
PSBPRBPL15	Yellow Rubber Contest Bumper Plate w/stainless steel inner ring - 15 Kg.	
PSBPRBPL20	Blue Rubber Contest Bumper Plate w/stainless steel inner ring - 20 Kg.	EXTRA HARDNESS ON 5 KG.: > 92°
PSBPRBPL25	Red Rubber Contest Bumper Plate w/stainless steel inner ring - 25 Kg.	EXTRA THICKNESS +3mm.

YEAR YEAR	TRAINING BUMPER PLATES	▲ 5.000 UNBROKEN DROPS TESTED
XSBPRBPL5	Black Rubber Training Bumper Plate w/stainless steel inner ring - 5 Kg.	
		EXTRA HARDNESS ON 5 KG.: > 92°
XSBPRBPL10	Black Rubber Training Bumper Plate w/stainless steel inner ring - 10 Kg.	
XSBPRBPL15	Black Rubber Training Bumper Plate w/stainless steel inner ring - 15 Kg.	
XSBPRBPL20	Black Rubber Training Bumper Plate w/stainless steel inner ring - 20 Kg.	
XSBPRBPL25	Black Rubber Training Bumper Plate w/stainless steel inner ring - 25 Kg.	-

*1 BUMPER PLATES Limited Warranty covers just plates breakages.

2 Year: COMPETITON, CONTEST and HEAVY DUTY Bumper Plates (all sizes but 5 Kg.)when used on to a professional weightlifting platform (such as the Xenios USA® one) or equivalent kind of flooring. 1 Year: COMPETITION, CONTEST, HEAVY DUTY Bumper Plates (5 Kg. variant), and TRAINING Bumper Plates (all sizes but 5 Kg.) when used on to a professional weightlifting platform (such as the Xenios USA® one) or equivalent kind of flooring. 6 Month: COMPETITION, CONTEST, HEAVY DUTY Bumper Plates (all sizes), and TRAINING Bumper Plates (all sizes but 5 Kg.) when used on to any other kind of rubber flooring. TRAINING Bumper Plates (all sizes), and TRAINING Bumper Plates (all sizes but 5 Kg.) when used on to any other kind of rubber flooring. TRAINING Bumper Plates (5 Kg. variant). All kind and size of Bumper Plates

against inner steel ring loosening and/or breakage. No Warranty: all kind and size of Bumper Plates used on to not-rubber coated floorings. For any further about Xenios USA® products' warranty, please refer to the Xenios USA® Warranty Chart, available at www.xeniosusa.com



FITTEST EQUIPMENT FOR THE

EIGHT PLATES



HEAVY DUTY BUMPER PLATES

XSBPRBPLS5 Black Rubber Heavy Duty Bumper Plates - 5 Kg.

XSBPRBPLS10 Black Rubber Heavy Duty Bumper Plates - 10 Kg.


XSBPRBPLS15 Black Rubber Heavy Duty Bumper Plates - 15 Kg.

XSBPRBPLS20 Black Rubber Heavy Duty Bumper Plates - 20 Kg.

⚠ 15.000 UNBROKEN DROPS TESTED

SBR GRANULATE

UP TO 20 Db. LESS WHEN DROPPED



TECHNIQUE PLATES

XSTCPL01 PE Technique Plate - 2.5 kg.

FRACTIONAL PLATES

XSSTFRPL0.125	Black Mini-Rubber Bumper Plate - 0.125 Kg.	
XSSTFRPL0.25	Grey Mini-Rubber Bumper Plate - 0.25 Kg.	
XSSTFRPL0.5	White Mini-Rubber Bumper Plate - 0.5 Kg.	
XSSTFRPL1	Green Mini-Rubber Bumper Plate - 1 Kg.	
XSSTFRPL1.5	Yellow Mini-Rubber Bumper Plate - 1.5 Kg.	
XSSTFRPL2	Blue Mini-Rubber Bumper Plate - 2 Kg.	
XSSTFRPL2.5	Red Mini-Rubber Bumper Plate - 2.5 Kg.	



45 cm. DIAMETER

*1 BUMPER PLATES Limited Warranty covers just plates breakages.

2 Year: COMPETITON, CONTEST and HEAVY DUTY Bumper Plates (all sizes but 5 Kg.) when used on to a professional weightiliting platform (such as the Xenios USA® one) or equivalent kind of flooring. 1 Year: COMPETITION, CONTEST, HEAVY DUTY Bumper Plates (5 Kg. variant), and TRAINING Bumper Plates (all sizes but 5 Kg.) when used on to a professional weightiliting platform (such as the Xenios USA® one) or equivalent kind of flooring.

6 Month: COMPETITION, CONTEST, HEAVY DUTY Bumper Plates (all sizes), and TRAINING Bumper Plates (all sizes but 5 (5), when used on to any other kind of rubber flooring. TRAINING Bumper Plates (5 Kg. variant). All kind and size of Bumper Plates

against inner steel ring loosening and/or breakage. No Warranty: all kind and size of Bumper Plates used on to not-rubber coated floorings. For any further about Xenios USA® products' warranty, please refer to the Xenios USA® Warranty Chart, available at www.xeniosusa.com

GHT PLATES

PLATES RACKS



RKBMPL01 Bumper Plates Trolley - 8 slugs

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)		
25 / 55	142	42	76		
- N° Plates support: 1 PC to 19 PCs - Color: Matte Black					

Max. load: 500 kg.Steel tubes thickness: 2.5 mm.

 ${\rm \ensuremath{\Delta}}$ Plates are not included



RKBMPL03 Bumper Plates Stacker w/wheels

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
15 / 33	45	45	100
- N° Plates support	: 25 PCs (5 Kg. plate	s) - Color:

- Max. load: 300 kg.

 ${\rm I}{\rm A}$ Plates are not included





ENIDS



DUMBBELLS

RUBBER OCTAGONAL DUMBBELLS

ORBDB1	Black Rubber Octagonal Dumbbell w/ contoured handle - 1 Kg.
ORBDB2	Black Rubber Octagonal Dumbbell w/ contoured handle - 2 Kg.
ORBDB3	Black Rubber Octagonal Dumbbell w/ contoured handle - 3 Kg.
ORBDB4	Black Rubber Octagonal Dumbbell w/ contoured handle - 4 Kg.
ORBDB5	Black Rubber Octagonal Dumbbell w/ contoured handle - 5 Kg.
ORBDB6	Black Rubber Octagonal Dumbbell w/ contoured handle - 6 Kg.
ORBDB7	Black Rubber Octagonal Dumbbell w/ contoured handle - 7 Kg.
ORBDB8	Black Rubber Octagonal Dumbbell w/ contoured handle - 8 Kg.
ORBDB9	Black Rubber Octagonal Dumbbell w/ contoured handle - 9 Kg.
ORBDB10	Black Rubber Octagonal Dumbbell w/ contoured handle - 10 Kg.
ORBDB12.5	Black Rubber Octagonal Dumbbell w/ contoured handle - 12.5 Kg.
ORBDB15	Black Rubber Octagonal Dumbbell w/ contoured handle - 15 Kg.
ORBDB17.5	Black Rubber Octagonal Dumbbell w/ contoured handle - 17.5 Kg.
ORBDB20	Black Rubber Octagonal Dumbbell w/ contoured handle - 20 Kg.
ORBDB22.5	Black Rubber Octagonal Dumbbell w/ contoured handle - 22.5 Kg.
ORBDB25	Black Rubber Octagonal Dumbbell w/ contoured handle - 25 Kg.
ORBDB27.5	Black Rubber Octagonal Dumbbell w/ contoured handle - 27.5 Kg.
ORBDB30	Black Rubber Octagonal Dumbbell w/ contoured handle - 30 Kg.
ORBDB32.5	Black Rubber Octagonal Dumbbell w/ contoured handle - 32.5 Kg.
ORBDB35	Black Rubber Octagonal Dumbbell w/ contoured handle - 35 Kg.
ORBDB37.5	Black Rubber Octagonal Dumbbell w/ contoured handle - 37.5 Kg.
ORBDB40	Black Rubber Octagonal Dumbbell w/ contoured handle - 40 Kg.
ORBDB42.5	Black Rubber Octagonal Dumbbell w/ contoured handle - 42.5 Kg.
ORBDB45	Black Rubber Octagonal Dumbbell w/ contoured handle - 45 Kg.
ORBDB47.5	Black Rubber Octagonal Dumbbell w/ contoured handle - 47.5 Kg.
ORBDB50	Black Rubber Octagonal Dumbbell w/ contoured handle - 50 Kg.









DUMBBELLS

FULL RUBBER HEX-DUMBBELLS

XSORBDB12.5	Black Full Rubber HEX Dumbbell w/ contoured handle - 12,5 Kg.
XSORBDB15	Black Full Rubber HEX Dumbbell w/ contoured handle - 15 Kg.
XSORBDB17.5	Black Full Rubber HEX Dumbbell w/ contoured handle - 17,5 Kg.
XSORBDB20	Black Full Rubber HEX Dumbbell w/ contoured handle - 20 Kg.
XSORBDB22.5	Black Full Rubber HEX Dumbbell w/ contoured handle - 22,5 Kg.
XSORBDB25	Black Full Rubber HEX Dumbbell w/ contoured handle - 25 Kg.
XSORBDB27.5	Black Full Rubber HEX Dumbbell w/ contoured handle - 27,5 Kg.
XSORBDB30	Black Full Rubber HEX Dumbbell w/ contoured handle - 30 Kg.
XSORBDB32.5	Black Full Rubber HEX Dumbbell w/ contoured handle - 32,5 Kg.
XSORBDB35	Black Full Rubber HEX Dumbbell w/ contoured handle - 35 Kg.
XSORBDB37.5	Black Full Rubber HEX Dumbbell w/ contoured handle - 37,5 Kg.
XSORBDB40	Black Full Rubber HEX Dumbbell w/ contoured handle - 40 Kg.
XSORBDB42.5	Black Full Rubber HEX Dumbbell w/ contoured handle - 42,5 Kg.
XSORBDB45	Black Full Rubber HEX Dumbbell w/ contoured handle - 45 Kg.
XSORBDB47.5	Black Full Rubber HEX Dumbbell w/ contoured handle - 47,5 Kg.
XSORBDB50	Black Full Rubber HEX Dumbbell w/ contoured handle - 50 Kg.





OVERSIZE RUBBER HEX DUMBBELLS

HRBDB55 Strongman Black Rubber Hex Dumbbell w/ contoured handle - 55 Kg.

HRBDB60 Strongman Black Rubber Hex Dumbbell w/ contoured handle - 60 Kg.

HRBDB65 Strongman Black Rubber Hex Dumbbell w/ contoured handle - 65 Kg.



HRBDB70 Strongman Black Rubber Hex Dumbbell w/ contoured handle - 70 Kg.



DUMBBELLS

DUMBBELLS RACKS

RKMSVSTDB03 Massive Storage Rack - Multistorage Unit for: Dumbbells

- Massive Storage Rack Side Upright w/wheels x2PCs
- Massive Storage Rack Dumbbells Tier x3PCs

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)		
55 / 121	201	50	123		
Material, Dowder ageted steelsteel tube thickness					

- Material: Powder coated steel - steel tube thickness = 3,5 mm - Color: Matte black

 Δ * Fractional Plates and Loop Bands Storages are sold as an option









READY FOR OLYMPIC LIFTING

XSBOBAR01 PRO BEARING - 86" Man Olympic Bar

WEIGHT (Kg./Lbs)	L (cm.)
20 / 44	220

- 86" Hard Chrome plated 1665Mpa-Heat Treated-Spring Steel Man Olympic Bar w/8 bearings (4xdouble-case needle + 4xball) and dual snap ring closing system - 240.000+ PSI - 2000 Lbs max. load - 220 cm. - 28 mm. 20 Kg. - Olympic IWF & IPF marks w/o center mark

▲ Equipped with special heavy duty needle bearings. Double thickness; Longer Needles; Self-Lubricating channel.

All Xenios USA® bars are not pre-equipped with collars.







COMPETITION BARS



XSBOBAR02 ELITE BEARING - 86" Man Olympic Bar

WEIGHT (Kg./Lbs)	L (cm.)	
20 / 44	220	

- 86" Hard Chrome finished 1665Mpa-Heat-Treated-Spring Steel Man Olympic Bar
 w/6 bearings (2xdouble-case needle + 4xball) and dual snap ring closing system 240.000+ PSI - 1500 Lbs max. load - 220 cm. - 28 mm. 20 Kg. - Olympic IWF & IPF
 marks w/o center mark

▲ Equipped with special heavy duty needle bearings. Double thickness; Longer Needles; Self-Lubricating channel.

⚠ All Xenios USA[®] bars are not pre-equipped with collars.





*1 COMPETITION AND PROFESSIONAL BARS Lifetime Warranty covers just bar's shaft breakages. Bar's shaft bents warranty is just 1 year time limited.

Bar's shaft breakages and/or bents warranty main terms: it is valid just when COMPETITION and/or PROFESSIONAL bars are used on a professional weightlifting platform (such as the Xenios USA® one) or equivalent kind of flooring, and loaded with the Xenios USA® rubber Bumper Plates or equivalent quality.

2 Year: on to all bar and sleeves construction parts.

1 Year: on to all bar and sleeves finishing. Rust due to proven missing maintenance and cleaning or misuse (e.g.: due to storage on to bare steel racks) is not covered under warranty.

All Warranties on COMPETITION and PROFESSIONAL bars are void in case of negligent or faulty use, alteration, maintenance, storage or handling by the user. Negligent or faulty use includes abusive dropping of the bar (i.e., dropping the bar on to a not proper floor (10 mm. thick rubber flooring and lower are considered not proper), a box, bench, spotter arms or pins in a power rack, excessive dropping with insufficient or damaged bumpers, or dropping with iron plates, and similar usage). For any further about Xenios USA[®] products' warranty, please refer to the Xenios USA[®] Warranty Chart, available at www.xeniosusa.com







READY FOR POWERLIFTING

XSOBAR01 POWERLIFTING BAR - 86" Man Power Lifting Bar

WEIGHT (Kg./Lbs)	L (cm.)
20 / 44	220

- 86" Hard Chrome Plated 60Mn-Heat Treated-Spring Steel Man Power Lifting Bar w/ self lubricate oversize bronze bushings and dual snap ring closing system - 180.000+ PSI - 2000 Lbs max. load - 220 cm. - 29 mm. - 20 Kg. - IPF and Squat marks

 ${\rm I}{\rm All}$ All Xenios USA® bars are not pre-equipped with collars.







PROFESSIONAL BARS

READY FOR OLYMPIC LIFTING




XSOBAR10 PRO BUSHING BAR - 86" Man Olympic Bar

WEIGHT (Kg./Lbs)	L (cm.)	
20 / 44	220	

 - 86" Bright Zinc plated "1665Mpa-Heat Treated-Spring Steel" Man Olympic Bar w/ oversize Sintered self-lubricated bronze bushings and Safe-Lock sleeve closing system
 - 240.000+ PSI - 1500 Lbs max. load 220 cm. - 28 mm. - 20 Kg. - Olympic IWF & IPF marks w/o center mark

 ${\rm I}{\rm All}$ Xenios USA® bars are not pre-equipped with collars.





*1 COMPETITION AND PROFESSIONAL BARS Lifetime Warranty covers just bar's shaft breakages. Bar's shaft bents warranty is just 1 year time limited.

Bar's shaft breakages and/or bents warranty main terms: it is valid just when COMPETITION and/or PROFESSIONAL bars are used on a professional weightlifting platform (such as the Xenios USA® one) or equivalent kind of flooring, and loaded with the Xenios USA® rubber Bumper Plates or equivalent quality.

2 Year: on to all bar and sleeves construction parts.

1 Year: on to all bar and sleeves finishing. Rust due to proven missing maintenance and cleaning or misuse (e.g.: due to storage on to bare steel racks) is not covered under warranty. All Warranties on COMPETITION and PROFESSIONAL bars are void in case of negligent or faulty use, alteration, maintenance, storage or handling by the user. Negligent or faulty use includes abusive dropping of the bar (i.e., dropping the bar on to a not a proper floor (10 mm. thick rubber flooring and lower are considered not proper), a box, bench, spotter arms or pins in a power rack, excessive dropping with insufficient or damaged bumpers, or dropping with iron plates, and similar usage). For any further about Xenios USA[®] products' warranty, please refer to the Xenios USA[®] Warranty Chart, available at www.xeniosusa.com





PROFESSIONAL BARS

READY FOR OLYMPIC LIFTING



WEIGHT (Kg./Lbs)	L (cm.)	
20 / 44	220	

- 86" Nikel-Phosphor plated 1665Mpa-Heat Treated-Spring Steel Man Olympic Bar w/ oversize self-lubricated bronze bushings and dual snap ring closing system - 240.000+ PSI - 1500 Lbs max. load 220 cm. - 28 mm. - 20 Kg. - Olympic IWF & IPF marks w/o center mark

All Xenios USA[®] bars are not pre-equipped with collars.







PROFESSIONAL BARS

READY FOR OLYMPIC LIFTING



PRO LADY'S BAR - 79" Woman Olympic Bar XSBOBAR06

WEIGHT (Kg./Lbs)	L (cm.)
15 / 33	201

- 79" Bright Zinc Plated - 60Mn-Heat Treated Spring Steel Woman Olympic Bar w/6 bearings (2xdouble-case needle + 4xballs) and dual snap ring closing system -180.000+ PSI - 500 Lbs max. load - 201 cm. - 25 mm. - 15 Kg. - Olympic IWF & IPF marks w/o center mark

▲ Equipped with special heavy duty needle bearings. Double thickness; Longer Needles; Self-Lubricating channel. ⚠ All Xenios USA[®] bars are not pre-equipped with collars.





*1 COMPETITION AND PROFESSIONAL BARS Lifetime Warranty covers just bar's shaft breakages. Bar's shaft bents warranty is just 1 year time limited. Bar's shaft breakages and/or bents warranty main terms: it is valid just when COMPETITION and/or PROFESSIONAL bars are used on a professional weightlifting platform (such as the Xenios USA® one) or equivalent kind of flooring, and loaded with the Xenios USA® rubber Bumper Plates or equivalent quality.

2 Year: on to all bar and sleeves construction parts.

1 Year: on to all bar and sleeves finishing. Rust due to proven missing maintenance and cleaning or misuse (e.g.: due to storage on to bare steel racks) is not covered under warranty. All Warranties on COMPETITION and PROFESSIONAL bars are void in case of negligent or faulty use, alteration, maintenance, storage or handling by the user. Negligent or faulty use includes abusive dropping of the bar (i.e., dropping the bar on to a not proper floor (10 mm. thick rubber flooring and lower are considered not proper), a box, bench, spotter arms or pins in a power rack, excessive dropping with insufficient or damaged bumpers, or dropping with iron plates, and similar usage). For any further about Xenios USA[®] products' warranty, please refer to the Xenios USA[®] Warranty chart, available at www.xeniosusa.com





READY FOR OLYMPIC LIFTING

XSOBAR08 R2F TRAINING BAR - 86" Man Olympic Bar

WEIGHT (Kg./Lbs)	L (cm.)
20 / 44	220

- 86" Bronze Oxide finished (shaft) + Hard Chrome finished (sleeves) - 1665Mpa Heat Treated-Spring Steel - Man Olympic Bar w/oversize bronze bushings and dual snap ring closing system - 240.000 PSI - 1500 Lbs max. load 220 cm. - 28 mm. - 20 Kg. -Olympic IWF & IPF marks w/o center mark

▲ Equipped with special heavy duty needle bearings. Double thickness; Longer Needles; Self-Lubricating channel.







READY FOR OLYMPIC LIFTING



XSOBAR07 TRAINING BAR - 86" Man Olympic Bar

WEIGHT (Kg./Lbs)	L (cm.)	
20 / 44	220	

- 86" Bright Zinc Plated + Black E-coating (shaft) & Bright Zinc Plated (sleeves) - 60Mn
 Heat Treated-Spring Steel Man Olympic Bar w/bronze bushings and dual snap ring
 closing system - 180.000+ PSI - 1000 Lbs max. load 220 cm. - 28 mm. - 20 Kg. Olympic IWF & IPF marks w/o center mark

${\rm I}{\rm All}$ Xenios USA® bars are not pre-equipped with collars.





READY FOR OLYMPIC LIFTING

XSOBAR09 TRAINING LADY'S BAR - 79" Woman Olympic Bar

WEIGHT (Kg./Lbs)	L (cm.)
15 / 33	201

 - 79" Bright Zinc Plated + E-coated surface (shaft) w/Bright Zinc Plated sleeves 60Mn-Heat Treated Spring Steel Woman Olympic Bar w/bronze bushings and dual snap ring closing system - 180.000+ PSI - 500 Lbs max. load - 201 cm. - 25 mm. - 15 Kg.
 Olympic IWF & IPF marks w/o center mark

All Xenios USA® bars are not pre-equipped with collars.

COMING SOON



VOMAN



ALUMINUM TECHNIQUE BARS

PSA0BAR01 ALU TECHNIQUE BAR - 86" Olympic Bar

WEIGHT (Kg./Lbs)	L (cm.)

10 / 22 220

- 86" Aluminum Olympic Bar w/6 bearings (2xdouble-case needle + 4xball) and dual snap ring closing system - 220 cm. - 28 mm. - 10 Kg. - Olympic IWF & IPF marks w/o center mark

▲ Equipped with special heavy duty needle bearings. Double thickness; Longer Needles; Self-Lubricating channel.

- \triangle All Xenios USA[®] bars are not pre-equipped with collars.
- ▲ 100 Lbs (50 Kg.) max.load.





ALUMINUM TECHNIQUE BARS

PSA0BAR02 ALU JUNIOR TECHNIQUE BAR - 72" Junior Bar

WEIGHT (Kg./Lbs)	L (cm.)
5/11	180

- 72" Aluminum Junior Bar - 60 Lbs (30 Kg.) max.load - 180 cm. - 25 mm. - 5 Kg. -Olympic IWF marks w/o center mark

 $\underline{\wedge}$ All Xenios USA® bars are not pre-equipped with collars. \triangle 60 Lbs (30 Kg.) max.load.



WOMAN SJUNIOR



CHROMED OVERSIZE BARS

PS00BAR01 86" Chromed finish Oversize Olympic Bar	N STRONGMAN
WEIGHT (Kg./Lbs) L (cm.)	
32 / 70 220	
- 500 Kg./1100 Lbs max. load - Material: steel - Finishing: chrome ▲ All Xenios USA® bars are not pre-equipped with collars.	
	READY FOR STRONGMAN
PS00BAR02 47" Chromed finish Oversize Olympic Bar	
WEIGHT (Kg./Lbs) L (cm.)	
15/33 120	

READY FOR

- 200 Kg./450 Lbs max. load - Material: steel - Finishing: chrome

 \triangle All Xenios USA[®] bars are not pre-equipped with collars.





EQUIPMENT FOR THE FITTEST

-

SPECIALITY BARS

-	XSLEARNBAR01	PE - I	Learning	Bar - 5	9" x 28.5	mm.
	WEIGHT (Kg./Lbs)	L (cm.)				
	0.3 / 0.66	150				

- IN/OUT Markers for Weight and Olympic Lifting Technique Learning
- Material: PE Color: black





SPECIALITY BARS

PSEARTHQK THE EARTHQUAKE BAR by Bandbell® - 77"

WEIGHT (Kg./Lbs)	L (cm.)				
14 / 30	195				
- 50 Kg./110 Lbs n - Material: bamboo		Grip diameter: 38 mm			DANIDDELL
riangle All Xenios USA	® bars ar	e not pre-equipped with collars.			BANDBELL
		C	DAING S OO	N	

PSOHQBAR02 SHORT FLAT HEXAGONAL BAR - 59" x 24" x 24" Single Handle

All Xenios USA[®] bars are not pre-equipped with collars.

PSOHQBAR01 HEXAGONAL BAR - 71" x 24" x 24" Double-Handle

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)
30 / 66	180	60


- 450 Kg./1000 Lbs max. load Grip diameter: 25 mm
- Material: steel Finishing: NP plated

All Xenios USA® bars are not pre-equipped with collars.





PSOHQBAR03 STRONGMAN HEXAGONAL BAR - 63" x 24" x 24" Double-Handle



38 / 84 160 64

- 450 Kg./1000 Lbs max. load - Grip diameter: 32 mm


- Material: Steel - Finishing: NP plated

 \triangle All Xenios USA[®] bars are not pre-equipped with collars.





SPECIALITY BARS





PSSWBAR01 SWISS BAR - 84"

L (cm.)

215

W (cm.)



- 450 Kg./1000 Lbs max. load - 30 mm. grip dia. - 4 grasping positions


- Can fit gym racks

WEIGHT (Kg./Lbs)


22 / 48.5

- Material: steel - Finishing: NP plated

 \triangle All Xenios USA® bars are not pre-equipped with collars. \triangle Plates are not included.



SPECIALITY BARS





READY FOR OLYMPIC LIFTING

COLLARS

VSOSCL01 2" Olympic Spring collar w/ 90° grip

- Center hole diameter 50 mm.
- Material: steel Color: chrome

WEIGHT LIFTING COLLARS

XSOSSCL01 Chromed finish steel Olympic Spring Loaded Weight Lifting Collar - 2.5 kg.

- Center hole diameter 50 mm.

- Material: steel - Color: chrome

LOCK-JAW®

LJC-PR0 2" Pro Lock-Jaw ® Olympic Barbell Collar

LJC-ELI 2" ELITE Lock-Jaw ® Olympic Barbell Collar

- Equipped with safety locking system

- Inner steel grid to reinforce the whole collar

- Equipped with safety locking system



LOCK-JAW® is a Patented Design and a Registered Trademark used by and under license from Avus Design LLC - CA(USA).

GYM CHAINS

VSPGGCN01	59" Progressive Gym Chain w/ Olympic Collar - 6 kg.
VSPGGCN02	59" Progressive Gym Chain w/ Olympic Collar - 8 kg.
VSPGGCN03	59" Progressive Gym Chain w/ Olympic Collar - 12 kg.
VSPGGCN04	91" Progressive Gym Chain w/ Olympic Collar - 9 kg.
VSPGGCN05	91" Progressive Gym Chain w/ Olympic Collar - 12 kg.
VSPGGCN06	91" Progressive Gym Chain w/ Olympic Collar - 15 kg.







EXTRA Strenghtness Steel-Wire Inner Cage For Infinity Drops



POWER RESISTANCE LOOPS

POWER RESIS	STANCE LOOPS		CAN BE STRETCHED UP TO 8 TIMES THE REST-LENGTH
	LACK Squat Power Resistance Loop - Extra Light 1/2" (1.25 cm.) width - 4.5 mm. thick resistance		
	ED Squat Power Resistance Loop - Light 3/4" (2.05 cm.) width - 4.5 mm. thick resistance		O Alimer O
	URPLE Squat Power Resistance Loop - Medium 1.125" (2.85 cm.) width - 4.5 mm. thick resistance		O XENTER O
	REEN Squat Power Resistance Loop - Heavy 1.75" (4.5 cm.) width - 4.5 mm. thick cresistance		C XENUTS C
	LUE Squat Power Resistance Loop - Extra Heavy 2.5" (6.4 cm.) width - 4.5 mm. thick cresistance		6 XENTIES 6
	LACK Bench Press Power Resistance Loop - Extra Light /2" (1.25 cm.) width - 3 mm. thick		
- 7.5 Kg./16.5 Lbs ma			
	ED Bench Press Power Resistance Loop - Light /4" (2.05 cm.) width - 3 mm. thick esistance		
	URPLE Bench Press Power Resistance Loop - Medium .125" (2.85 cm.) width - 3 mm. thick resistance		Xestitis
	REEN Bench Press Power Resistance Loop - Heavy .75" (4.5 cm.) width - 3 mm. thick resistance		a learner o
	LUE Bench Press Power Resistance Loop - Extra Heavy 2.5" (6,4 cm.) width - 3 mm. thick resistance		
BARBELL TO	OOLS		6 XENUIS 6
	Cleaning and Maintenanze Kit for Bars' care - Suitable for: Hard Chromed - NP Plated - Black Oxide		📇 à 👞
Brush + Cleaning C	ntenanze Kit for Bars' care - Cleaning Steel Brush + Cleaning Fiber loth + Lube Oil for mechanic parts + Silicon Grease for galvanized eger Jaw for sleeve maintenance	A DE DIO	
XSBARLUBE01 - To lube shafts and - To keep bushing a	Special Spray Oil to lube Bars, Bearings and Bushings sleeves nd bearings lubricated	- 125 ml.	
	~		
XSBARLUBE02	Special Silicon Spray Grease to lube and to protect Gal and Sleeves - 200 ml.	vanized Steel Bars	GAA:SO SUCCINCO
- To lube shafts and - To keep bushing a	sleeves nd bearings lubricated		



*



BARBELLS RACKS

RKSPBR02 Vertical Bars Rack - 5 sleeves

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
15 / 33	70	37	26

- N° bars support: 1 PC to 5 PCs - Material: powder coated steel - Color: matte black - Max. load: 200 kg.

- Steel tubes thickness: 2.5 mm.

${\rm \bigtriangleup}$ Bars are not included



ANTI-TILT WEIGHTED BASE

RKSPBR03 Vertical Bars Rack - 10 sleeves

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
25 / 55	125	37	26

- $N^{\rm o}$ bars support: 1 PC to 10 PCs - Material: powder coated steel - Color: matte black - Max. load: 400 kg.

- Steel tubes thickness: 2.5 mm.

 \triangle Bars are not included





BARBELLS RACKS

RKSPBR05	Wall Mou	nted Bar	Rack - F	Ready for Bars Care Option - 6 Bars
WEIGHT (Kg./Lb	s) L (cm.)	W (cm.)	H (cm.)	
10 / 22	10.6	4.6	75	-

- N° bars support: 1 PC to 6 PCs - Material: powder coated steel - Color: matte black Width (per each support bar): 10 cm.
Max. load: 120 kg.

 ${\rm I}{
m A}$ Bars are not included



RKSPBR06 Bar's Care Option for Wall Mounted Bar Rack - 6 Bars - Nylon support for bar long lasting







RERER





KETTLEBELLS


EVOLUTION CAST IRON KETTLEBELLS

PSCIKBLH6	Evolution e-Coated Black Cast Iron Kettlebell - 6 Kg.
PSCIKBLH8	Evolution e-Coated Black Cast Iron Kettlebell - 8 Kg.
PSCIKBLH12	Evolution e-Coated Black Cast Iron Kettlebell - 12 Kg.
PSCIKBLH16	Evolution e-Coated Black Cast Iron Kettlebell - 16 Kg.
PSCIKBLH20	Evolution e-Coated Black Cast Iron Kettlebell - 20 Kg.
PSCIKBLH24	Evolution e-Coated Black Cast Iron Kettlebell - 24 Kg.
PSCIKBLH28	Evolution e-Coated Black Cast Iron Kettlebell - 28 Kg.
PSCIKBLH32	Evolution e-Coated Black Cast Iron Kettlebell - 32 Kg.
PSCIKBLH36	Evolution e-Coated Black Cast Iron Kettlebell - 36 Kg.
PSCIKBLH40	Evolution e-Coated Black Cast Iron Kettlebell - 40 Kg.
PSCIKBLH44	Evolution e-Coated Black Cast Iron Kettlebell - 44 Kg.
PSCIKBLH48	Evolution e-Coated Black Cast Iron Kettlebell - 48 Kg.
PSCIKBLH56	Strongman Evolution Black Powder Coated Cast Iron Kettlebell - 56 Kg.
PSCIKBLH68	Strongman Evolution Black Powder Coated Cast Iron Kettlebell - 68 Kg.
PSCIKBLH80	Strongman Evolution Black Powder Coated Cast Iron Kettlebell - 80 Kg.
PSCIKBLH92	Strongman Evolution Black Powder Coated Cast Iron Kettlebell - 92 Kg.









STEEL OLYMPIC KETTLEBELLS

VSSTOKBL8	Light Blue Steel Olympic Kettlebell - 8 kg.
VSSTOKBL12	Yellow Steel Olympic Kettlebell - 12 kg
VSSTOKBL16	Dark Yellow Steel Olympic Kettlebell - 16 kg.
VSSTOKBL18	Light Green Steel Olympic Kettlebell - 18 kg.
VSSTOKBL20	Green Steel Olympic Kettlebell - 20 kg.
VSSTOKBL24	Dark Green Steel Olympic Kettlebell - 24 kg.
VSSTOKBL28	Red Steel Olympic Kettlebell - 28 kg.
VSSTOKBL32	Dark Red Steel Olympic Kettlebell - 32 kg.
VSSTOKBL36	Grey Steel Olympic Kettlebell - 36 kg.
VSSTOKBL40	Bronze Steel Olympic Kettlebell - 40 kg.
VSSTOKBL44	Gold Steel Olympic Kettlebell - 44 kg.





KETTLEBELLS

STEEL RUSSIAN GIREVOY COMPETITION KETTLEBELLS

XSSTOKBL8	Pink Steel Russian Girevoy Competition Kettlebell - 8 Kg.
XSST0KBL12	Blue Steel Russian Girevoy Competition Kettlebell - 12 Kg.
XSSTOKBL16	Yellow Steel Russian Girevoy Competition Kettlebell - 16 Kg.
XSSTOKBL18	Purple/White Steel Russian Girevoy Competition Kettlebell - 18 Kg.
XSSTOKBL20	Purple Steel Russian Girevoy Competition Kettlebell - 20 Kg.
XSSTOKBL24	Green Steel Russian Girevoy Competition Kettlebell - 24 Kg.
XSSTOKBL28	Orange Steel Russian Girevoy Competition Kettlebell - 28 Kg.
XSSTOKBL32	Red Steel Russian Girevoy Competition Kettlebell - 32 Kg.
XSSTOKBL36	Grey Steel Russian Girevoy Competition Kettlebell - 36 Kg.
XSSTOKBL40	White Steel Russian Girevoy Competition Kettlebell - 40 Kg.
XSSTOKBL44	Silver Steel Russian Girevoy Competition Kettlebell - 44 Kg.





NEOPRENE KETTLEBELLS

XSNPKBL4	Light Green Neoprene Kettlebell - 4 Kg.
XSNPKBL6	Light Blue Neoprene Kettlebell - 6 Kg.
XSNPKBL8	Yellow Neoprene Kettlebell - 8 Kg.
XSNPKBL10	Orange Kettlebell - 10 Kg.
XSNPKBL12	Red Neoprene Kettlebell - 12 Kg.
XSNPKBL16	Dark Green Neoprene Kettlebell - 16 Kg.



XSNPKBL20 Dark Blue Neoprene Kettlebell - 20 Kg.



EBELLS

KETTLEBELL RACK

RKMSVSTKB04 Massive Storage Rack - Multistorage Unit for: Kettlebells


Massive Storage Rack - Side Upright w/wheels - x2PCs
 Massive Storage Rack - Kettlebells Tier - x3PCs


WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)	
75 / 165	201	50	123	
- Material: Powder of	coated stee	el - steel tu	be thickne	ss = 3,5 mm

- Color: Matte black

 ${\ensuremath{\vartriangle}} \star$ Fractional Plates and Loop Bands Storages are sold as an option







COACH ALBERTO GALLAZZI - European CST/TACFIT Headcoach & Military Division Chief



TACFIT[®] CLUBBELLS[®]

							Tacfit [®] Training
	Tacfit [®] Club				T2	EEL	Clubbell®
VSSTCB5	Tacfit® Club					SOFT-TOUCH	CAST-IRON
VSSTCB7	Tacfit [®] Clul				🗋 📕		
VSSTCB10	Tacfit [®] Club	bbell® -	10 kg.				
VSSTCB12	Tacfit [®] Clu	bbell® -	12 kg.	ТМ			
VSSTCB15	Tacfit [®] Club	bbell® -	15 kg.				
VSSTCB20	Tacfit® Clul	bbell® - :	20 kg.				
VSCICB2.5	Tacfit® Trai	ning Clu	bbell® - 2.5 kg.			*	
VSCICB5	Tacfit® Trai	ning Clu	bbell® - 5 kg.				
VSCICB7	Tacfit® Trai	ning Clu	bbell® - 7 kg.				
VSCICB10	Tacfit® Trai	ning Clu	bbell® - 10 kg.		<u>Xerrus</u>	Xenni Xenni Xennis	K <u>ERNILIS</u>
∆ May be not a	vailable withi	n all Cour	tries		221		
	12,0	a have					TRAINING
RKCB01	Tacfit Clubl	bells Ra	ck - 14 slugs			- A A	
		W (cm.)	H (cm.)				
WEIGHT (Kg./Lb	os) L (cm.)	•• (0111.)					

- 2x2,5 / 2x5 / 2x7 / 2x10 / 2x12 / 2x15 / 2x20

\triangle Clubbells are not included

 A The rack comes with the Training Set Adaptor so to store: (2pcs x 2.5Kg.) - (4pcs x 5Kg.) - (6pcs x 7Kg.) - (2pcs x 10Kg.)



RKCB02 Training Set Adaptor for Clubbells Rack (2x2.5 Kg. + 4x5 Kg. + 6x7 Kg. + 2x10 Kg.)

MATERIAL	FINISHING	WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)			
NYLON	BLACK	1,4 / 3	102	40	0.6			
m m m m m m m m m m m m m								

OPTION ALWAYS INCLUDED WITH THE RACK

* Tacfit® is a Registered Trademark used by and under license from RMAX.tv Productions and Secutor S.r.I. - (IT). * ClubbellI® is a Registered Trademark used by and under license from RMAX.tv Productions and Sconik International LLC - GA(USA).

TRAINING BAGS

TANK SAND-BAGS

XSSDBG01 Small Tank Sand-Bag 26" x 10" (66 cm. x 25,5 cm.) - w/2 Small Filler Bags 25.5" x 9.5" (65 cm. x 24 cm.) max.load 20 Lbs (10 Kg.) each - max.load 60 Lbs (30 Kg.)

XSSDBG02 Big Tank Sand-Bag 32" x 12" (82 cm. x 31 cm.) w/2 Big Filler Bags 32" x 12" (81 cm. x 30 cm.) - max.load 40 Lbs (20 Kg.) each - max.load 160 Lbs (80 Kg.)

XSFLBG01 Tank Sand-Bag - Small Filler bag 25.5" x 9.5" (65 cm. x 24 cm.) - max.load 20 Lbs (10 Kg.)

 \triangle Tank Sand-Bags are sold empty

XSFLBG02 Tank Sand-Bag - Large Filler bag 32" x 12" (81 cm. x 30 cm.) - max.load 40 Lbs (20 Kg)

⚠ Tank Sand-Bags are sold empty


SB-5KG Weighted bags dried-sand bag - 5 Kg.



MILITARY GRADE CORDURA®







NING BAGS


WATER BAGS

XSTWTBG01

Water Bag - Training 25 kg. max. (5" foot air pump included)

- Max Weight load: 20 kg./44 Lbs Total length: 75 cm. Diameter: 18 cm.





ING BALLS

NO-BOUNCING SLAM BALLS

PSBCSBL5-1	5" No Bouncing Slam Ball - 1 kg. (13 cm.)
PSBCSBL5-2	5" No Bouncing Slam Ball - 2 kg. (13 cm.)
PSBCSBL5-3	5" No Bouncing Slam Ball - 3 kg. (13 cm.)
PSBCSBL9-4	9" No Bouncing Slam Ball - 4 kg. (23 cm.)
PSBCSBL9-5	9" No Bouncing Slam Ball - 5 kg. (23 cm.)
PSBCSBL9-6	9" No Bouncing Slam Ball - 6 kg. (23 cm.)
PSBCSBL9-8	9" No Bouncing Slam Ball - 8 kg. (23 cm.)
PSBCSBL9-10	9" No Bouncing Slam Ball - 10 kg. (23 cm.)
PSBCSBL9-12	9" No Bouncing Slam Ball - 12 kg. (23 cm.)
PSBCSBL10-15	10" No Bouncing Slam Ball - 15 kg. (25 cm.)
PSBCSBL10-20	10" No Bouncing Slam Ball - 20 kg. (25 cm.)
PSBCSBL10-25	10" No Bouncing Slam Ball - 25 kg. (25 cm.)
PSBCSBL12-30	12" No Bouncing Slam Ball - 30 kg. (30 cm.)

STRONGMAN MED BALLS

8 KG

XENIUS

PSBCSBL14-30	14" Strongman Med Ball - 30 Kg. (65 Lbs - 35 cm.)
PSBCSBL14-40	14" Strongman Med Ball - 40 Kg. (90 Lbs - 35 cm.)
PSBCSBL14-50	14" Strongman Med Ball - 50 Kg. (110 Lbs - 35 cm.)
PSBCSBL14-60	14" Strongman Med Ball - 60 Kg. (130 Kbs - 35 cm.)
PSBCSBL14-70	14" Strongman Med Ball - 70 Kg. (150 Lbs - 35 cm.)
PSBCSBL14-80	14" Strongman Med Ball - 80 Kg. (180 Kbs - 35 cm.)
PSBCSBL14-90	14" Strongman Med Ball - 90 Kg. (200 Lbs - 35 cm.)
PSBCSBL14-100	14" Strongman Med Ball - 100 Kg. (220 Lbs - 35 cm.)

12 KG



51

50



20



TRAINING BALLS





TRAINING BALLS

NO-BOUNCING WALL BALLS

XSWBPSG01 Wall Ball Power Sling

 ${
m
m
m \Lambda}$ No-Bouncing Wall Ball is not included







RKRWB05 Wall Ball 3-tiers Storage Rack w/wheels (12 pcs)

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
26 / 57	160	63	130

- N° Wall Ball support: 1 PC to 12 PCs

- Max. load: 180 kg./397 Lbs
- Steel tubes thickness: 1.5 mm.
- Material: Powder coated steel Finishing: Matte black

 ${\rm ilde{M}}$ No-Bouncing Wall Ball is not included



NING BALLS

NO-BOUNCING WALL BALLS

RKMSVSTWB05 Massive Storage Rack - Multistorage Unit for: Wallballs

- Massive Storage Rack Side Upright w/wheels x2PCs
 Massive Storage Rack WallBalls Tier x2PCs
- Massive Storage Rack Bumpers and WallBalls Tier x1PC

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
50 / 110	201	50	123

- Material: Powder coated steel - steel tube thickness = 3,5 mm - Color: Matte black

 \triangle * Fractional Plates and Loop Bands Storages are sold as an option



XEN



TRAINING BALLS

BOUNCING MED BALLS

XSSMBL3	Standard Med Ball - 3 kg.
XSSMBL4	Standard Med Ball - 4 kg.
XSSMBL5	Standard Med Ball - 5 kg.
XSSMBL6	Standard Med Ball - 6 kg.
XSSMBL7	Standard Med Ball - 7 kg.
XSSMBL8	Standard Med Ball - 8 kg.
XSSMBL9	Standard Med Ball - 9 kg.
XSSMBL10	Standard Med Ball - 10 kg.




DOUBLE GRIP MED BALLS

XSDGMBL3	Double Grip Med Ball - 3 kg.
XSDGMBL4	Double Grip Med Ball - 4 kg.
XSDGMBL5	Double Grip Med Ball - 5 kg.
XSDGMBL6	Double Grip Med Ball - 6 kg.
XSDGMBL7	Double Grip Med Ball - 7 kg.
XSDGMBL8	Double Grip Med Ball - 8 kg.
XSDGMBL9	Double Grip Med Ball - 9 kg.
XSDGMBL10	Double Grip Med Ball - 10 kg.



ROPE MED BALLS

PSRPMBL7	Rope Med Ball - 7 kg.
PSRPMBL6	Rope Med Ball - 6 kg.
PSRPMBL5	Rope Med Ball - 5 kg.
PSRPMBL4	Rope Med Ball - 4 kg.
PSRPMBL3	Rope Med Ball - 3 kg.
PSRPMBL2	Rope Med Ball - 2 kg.
PSRPMBL1	Rope Med Ball - 1 kg.





TRAINING BALLS

ADJUSTABLE GRADE

MED BALLS TOOLS

- Material: Powder coated steel - Color: Grey/Black

MED BALLS RACKS

RKMDBL01 Vertical single side Med Balls Rack - 5 balls

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
10 / 22	65	35	162

-	N°	Ball	support:	1	PC to 5 PCs
---	----	------	----------	---	-------------

- Max. load: 50 kg./110 Lbs

- Steel tubes thickness: 1.5 mm.
- Material: Powder coated steel Color: Silver

RKMDBL03 Medicine Balls Rack w/ wheels - 3 tiers

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
23 / 51	150	63	103

- N° Ball support: 1 P	C to 21 PCs (1 kg.)
------------------------	---------------------

- Max. load: 180 kg./397 Lbs
- Steel tubes thickness: 1.5 mm.
- Material: Powder coated steel Color: Silver

42





UP TO 12 KG MED-BALLS



TRAINING ROPES

TRAINING ROPES

VSPURP01	1.5" x 24" Natural Fiber Pull Up Rope (rope eyelet included) - (38 mm. x 60 cm.)
VSPURP02	2" x 24" Natural Fiber Pull Up Rope (rope eyelet included) - (50 mm. x 60 cm.)

VSSTRP01	1.5" x 35" Natural Fiber Short Rope - (38 mm. x 90 cm.)
VSSTRP03	1.5" x 70" Natural Fiber Short Rope - (38 mm. x 180 cm.)
VSSTRP02	2" x 35" Natural Fiber Short Rope - (50 mm. x 90 cm.)
VSSTRP04	2" x 70" Natural Fiber Short Rope - (50 mm. x 180 cm.)

VSCBRP01 1.5" x 20' Natural Fiber Climbing Rope - 38 mm. x 6 m.

- Steel eyelet included - pre-mounted on to the rope


VSCBRP02 1.5" x 20' Natural Fiber Climbing Rope - 38 mm. x 6 m.

Pre-knotted rope eyelet endSuitable for learning purposes

VSCBRP03 1.5" x 20' Natural Fiber Climbing Rope w/16" apart knots (40 cm. apart) - 38 mm. x 6 m.

- Pre-knotted rope eyelet end

COMING SOON









TRAINING ROPES



TRAINING ROPES

TRAINING ROPES

VSRPEY03 Wall Mounted Bracket for Climbing Rope

ALSO SUITABLE AS STATION FOR:

- GYM RINGS

- BOXING BAG

- CLIMBING ROPE





TRAINING SLEDS







TRAINING SLEDS

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
50 / 110	109	100	100
- Max. load: 700 kg - Material: Powder (- Nylon pulling strap	coated stee	el - Color: N	
⚠ Plates are not	included		
XSPGSD02	The Pr	owler SI	ed w/Ny
XSPGSD02 WEIGHT (Kg./Lbs)	The Pr	r owler Sl W (cm.)	ed w/Ny H (cm.)
			-

XSPGSD01NS	All Surface Nylon Skies for The Prowler Sled - M.Y. 2015	
XSPGSD01US	Concrete and Asphalt PE-UHMW Skies for The Prowler Sled - M.Y. 2015	
XSPGSD01PS	Rubber Flooring Polyzene Skies for The Prowler Sled - M.Y. 2015	
XSPPGSD01SS	Replacement Steel Ski for The Prowler Sled - M.Y. 2015	




TRAINING SLEDS





TRAINING SLEDS









TRAINING SLEDS

XSGD03PBH High Pushing Bar for Round-Trip Sled




XSGD03PBL Low Pushing Bar for Round-Trip Sled









TRAINING SLEDS

XSGSD	03NS All Surface Nylon Skies for Round-Trip Sled			
XSGSD	03US Concrete and Asphalt PE-UHMW Skies for Round-Trip Sle	d		
XSGSD	03PS Rubber Flooring Polyzene Skies for Round-Trip Sled		North Contraction of the second secon	
XSDGS ☆ Sled	ТО	RAP WITH HANDLESS PULL THE SLED BY CKWARD RUNNING		
		Second se		



PERFECT FOR HEAVY-LOADS PULLING



XENIUS

PSNYPLAT004	Technique 360° Ring Belt - Small (Dia.: 38 cm.)
PSNYPLAT005	Technique 360° Ring Belt - Medium (Dia.: 50 cm.)
PSNYPLAT006	Technique 360° Ring Belt - Large (Dia.: 62 cm.)
H	

PLYOMETRIC GEAR

PLYOMETRIC BOXES

XSPMBX04 Contest Plyometric Box - one size fits three heights - 20"-24"-30" (51cm. - 61cm. - 76cm.) - Material: Wood - Color: Wood SAFE ROUNDED EDGES ∆30" 430' ∆24" - A A A A A24" Δ30" MID D24 D24" VIIIS ∇50" INNER DOUBLE CROSS-MEMBER A20" PRE-VARNISHED 1.8 cm. PINE PLYWOOD



XSPMBX04A **TACFIT LIMITED Edition Contest Plyometric Box** - one size fits three heights

- 20"-24"-30" (51cm. - 61cm. - 76cm.)

- Material: Wood - Color: Wood



* Tacfit® is a Registered Trademark used by and under license from RMAX.tv Productions and Secutor S.r.I. - (IT).




PLYOMETRIC GEAR

PLYOMETRIC BOXES XSPMBX06A Safe Training Soft Plyometric Box - Stackable - 70x70 cm. x 6" height (15 cm.) - 70-70-15 cm. - Material: Foam+Sky - Color: Black 6" - Weight: 8 Kg ENIII5 XSPMBX06B Safe Training Soft Plyometric Box 12" Xenins - Stackable - 70x70 cm. x 12" height (31 cm.) - 70-70-31 cm. - Material: Foam+Sky - Color: Black - Weight: 16 Kg ENIUS 20" XSPMBX06C Safe Training Soft Plyometric Box - Stackable - 70x70 cm. x 20" height (51 cm.) - 70-70-51 cm. - Material: Foam+Sky - Color: Black - Weight: 20 Kg XSPMBX06D Safe Training Soft Plyometric Box - Stackable - 70x70 cm. x 24" height (61 cm.) ENIUS - 70-70-61 cm. 24* - Material: Foam+Sky - Color: Black - Weight: 24 Kg ENIDS 20" EQUIPMENT FOR THE FITTEST

PLYOMETRIC GEAR

PLYOMETRIC BOXES



XSPMBX05 Steel Plyometric Boxes - Sky Jump set - 2 boxes

- 65-90 cm.

- Material: Steel - Color: Black





PLYOMETRIC TOOLS

XSPWJP01

Power Jump Kit - Small


- 51" Green Nylon Encased Multi-use Elastic Tube Light x2PCs
- 51" Red Nylon Encased Multi-use Elastic Tube Medium x2PCs
- 51" Blue Nylon Encased Multi-use Elastic Tube Heavy x2PCs
- Technique Waist Belt w/rings Small x1PC
- 24" Strap anchor w/ring (60 cm.) x2PCs

XSPWJP02 Power Jump Kit - Large

- 51" Green Nylon Encased Multi-use Elastic Tube Light x2PCs
- 51" Red Nylon Encased Multi-use Elastic Tube Medium x2PCs
- 51" Blue Nylon Encased Multi-use Elastic Tube Heavy x2PCs
- Technique Waist Belt w/rings Large x1PC
- 24" Strap anchor w/ring (60 cm.) x2PCs







ACCELERATION TOOLS	
PSNYPLAT008 Technique Ankle/Wrist Cuff	Contraction Newton
PSNYPLAT007 Sprinter Ankle cuff w/rings	
PSNYPLAT009 Technique Leg Cuff w/ring	Contraction of the second seco

PSNYPLAT010 Technique Arm Cuff w/ring





ACCELERATION TOOLS



POWER TUBES

XSSTESTB07 9' Nylon encased Multi-use Power Elastic Tube - Color: Light Blue - Max resistance 75 Lbs. (34 Kg.) XSSTESTB08 9' Nylon encased Multi-use Extra Power Elastic Tube - Color: Orange - Max resistance 105 Lbs. (48 Kg.) XSSTESTB09 9' Nylon encased Multi-use Over Power Elastic Tube - Color: Purple - Max resistance 150 Lbs. (68 Kg.) 51" Green Nylon Encased Multi-use Elastic Tube XSSTESTB01 - Color: Light Blue - Resistance: Light (Max resistance 12 Lbs. / 5.5 Kg.) XSSTESTB02 51" Red Nylon Encased Multi-use Elastic Tube - Color: Orange - Resistance: Medium (Max resistance 14 Lbs. / 6.6 Kg.) ENIT XSSTESTB03 51" Blue Nylon Encased Multi-use Elastic Tube - Color: Purple - Resistance: Heavy (Max resistance 19 Lbs. / 9 Kg.) XSSTESTB04 71" Green Nylon Encased Multi-use Elastic Tube - Color: Light Blue - Resistance: Light (Max resistance 12 Lbs. / 5.5 Kg.) XSSTESTB05 71" Red Nylon Encased Multi-use Elastic Tube - Color: Orange - Resistance: Medium (Max resistance 14 Lbs. / 6.6 Kg.) XSSTESTB06 71" Blue Nylon Encased Multi-use Elastic Tube - Color: Purple - Resistance: Heavy (Max resistance 19 Lbs. / 9 Kg.) XSSDSP01 **Spider Sprinter Kit** 71" Green Nylon Encased Multi-use Elastic Tube - Light - x2PCs 71" Red Nylon Encased Multi-use Elastic Tube - Medium - x2PCs 71" Blue Nylon Encased Multi-use Elastic Tube - Heavy - x2PCs Sprinter Ankle Cuff w/rings - x2PCs Technique Leg Cuff w/ring - x2PCs Technique Arm Cuff w/ring - x2PCs Anchor Bar w/rubber grips - x1PC 24" Strap anchor w/ring - (60 cm.) - x1PC

24° Strap anchor w/ring - (60 cm.) - X1PC Anchoring Steel Ring w/steel heavy duty carabiner - x1PC



AGILITY TOOLS

XSSAGLD01 Adjustable/Modular 13' Agility Ladder

- 4 m. x 50 cm. - 18" (47.5 cm.) width sections



PSHRD01	Portable and Height-Adjustbale Hurdle
---------	---------------------------------------

- Weight 2 Kg. - Height 5 Cm. - Package 24 Pcs (12+12 Pcs)

- Weight: 2 Kg. - Height: 5 Cm. - Package: 24 Pcs (12+12 Pcs)

- Weight: 6 Kg. - Height: 40 Cm. - Package: 30 Pcs

- Weight: 6 Kg. - Height: 40 Cm. - Package: 30 Pcs

- Weight: 5 Kg. - Height: 30 Cm. - Package: 24 Pcs

- Weight: 5 Kg. - Height: 30 Cm. - Package: 24 Pcs

- Weight: 5 Kg. - Height: 30 Cm. - Package: 24 Pcs

- Weight: 5 Kg. - Height: 30 Cm. - Package: 24 Pcs

Space marker cone - Yellow/Orange

Space marker cone - White/Blue

Agility Cone - Fluo Yellow - 40 cm. (H.)

Agility Cone - Fluo Orange - 40 cm. (H.)

Agility Cone w/hardle bar holes - 30 cm. (H.) - Blue

Agility Cone w/hardle bar holes - 30 cm. (H.) - Green

Agility Cone w/hardle bar holes - 30 cm. (H.) - Fluo Yellow

Agility Cone w/hardle bar holes - 30 cm. (H.) - Fluo Orange

- 100x10 cm. (Sold in 10 PCs boxes)

ASCONE01

ASCONE02

A40CONE01


A40CONE02

A30CONE01

A30C0NE02

A30C0NE03

A30CONE04










AGILITY TOOLS

A30C0NEBAR01 Safe Hardle - Weight 3.5 Kg Length: 160 Cm Diam	e Bar for 30 cm. Agility Cones - eter: 25 mm Package 36 Pcs	Fluo Yellow
A30CONEBAR02 Safe Hardle - Weight 3.5 Kg Length: 160 Cm Diam	e Bar for 30 cm. Agility Cones - eter: 25 mm Package 36 Pcs	Fluo Orange
SFHRD10 Safe Hurdle - 10 c - Weight 2,5 Kg Length: 100 Cm Heigh	cm. (H.) x 100 cm. (L.) - Yellow It 10 Cm Package 12 Pcs	
SFHRD20 Safe Hurdle - 20 of - Weight 3 Kg Length: 100 Cm Height	cm. (H.) x 100 cm. (L.) - Yellow 20 Cm Package 12 Pcs	
SFHRD30 Safe Hurdle - 30 c - Weight 4 Kg Length: 100 Cm Height	m. (H.) x 100 cm. (L.) - Yellow 30 Cm Package 12 Pcs	
SFHRD40 Safe Hurdle - 40 c - Weight 5 Kg Length: 100 Cm Height	cm. (H.) x 100 cm. (L.) - Yellow 40 Cm Package 12 Pcs	
SFHRD50 Safe Hurdle - 50 c - Weight 6 Kg Length: 100 Cm Height	cm. (H.) x 100 cm. (L.) - Yellow 50 Cm Package 12 Pcs	
SFHRD60 Safe Hurdle - 60 c - Weight 7.5 Kg Length: 100 Cm Heigh	cm. (H.) x 100 cm. (L.) - Yellow It 60 Cm Package 12 Pcs	
HDHRD10 Hard Hurdle - 10 - Weight 2.5 Kg Length: 120 Cm Heigh	cm. (H.) x 120 cm. (L.) - Yellow nt 10 Cm Package 12 Pcs	
HDHRD20 Hard Hurdle - 20 - Weight 3 Kg Length: 120 Cm Height	cm. (H.) x 120 cm. (L.) - Yellow 20 Cm Package 12 Pcs	
HDHRD30 Hard Hurdle - 30 - Weight 4 Kg Length: 120 Cm Height	cm. (H.) x 120 cm. (L.) - Yellow 30 Cm Package 12 Pcs	
- Weight 5 Kg Length: 120 Cm Height		
- Weight 6 Kg Length: 120 Cm Height		
HDHRD60 Hard Hurdle - 60 - Weight 7.5 Kg Length: 120 Cm Heigh	cm. (H.) x 120 cm. (L.) - Yellow It 60 Cm Package 12 Pcs	
HDRTHRD40 Return Hard Hurd - Weight 5 Kg Length: 120 Cm Height	lle w/heavy back stand - 40 cn 40 Cm Package 9 Pcs	n. (H.) x 120 cm. (L.) - Yellow
HDRTHRD50 Return Hard Hurc - Weight 6 Kg Length: 120 Cm Height	lle w/heavy back stand - 50 cm 50 Cm Package 9 Pcs	n. (H.) x 120 cm. (L.) - Yellow
HDRTHRD60 Return Hard Hurd	lle w/heavy hack stand - 60 cm	n (H) x 120 cm (I) - Vellow













JUMP ROPES

JUMP ROPES

PS3DJPRP01 Pro-Bearing Duble Under-er Jump Rope

- Aluminum Handles

ശം ഗ

ო 👝

- Double Bearing System
- It comes with two ropes: bare steel (1.6 mm) an nylon coated (2.2 mm)

1. STEEL SNAP RING

2. ZZ SELF-LUBE BEARINGS

4. SELF-LUBRICATE SWIVEL BRASS SPHERE

5. HEADLESS SCREW M3X3 6. SAFETY END CAP





PS3DBJPRPNB	ligh Speed Bushing Double Under-er Jump Rope w/Aluminum Handles - Navy Blue
PS3DBJPRPBK	ligh Speed Bushing Double Under-er Jump Rope w/Aluminum Handles - Black
PS3DBJPRPPK	ligh Speed Bushing Double Under-er Jump Rope w/Aluminum Handles - Pink
PS3DBJPRPPR	ligh Speed Bushing Double Under-er Jump Rope w/Aluminum Handles - Purple —
PS3DBJPRPGR	ligh Speed Bushing Double Under-er Jump Rope w/Aluminum Handles - Green
PS3DBJPRPYW	ligh Speed Bushing Double Under-er Jump Rope w/Aluminum Handles - Yellow
- Aluminum Handles	

Aluminum Handles

- Double Bearing System

- It comes with two ropes: bare steel (1.6 mm) an nylon coated (2.2 mm)

XSPJPRP01BL Ultra-Speed Jump Rope w/plastic handles - Navy Blue XSPJPRP01BK Ultra-Speed Jump Rope w/plastic handles - Black XSPJPRP01PK Ultra-Speed Jump Rope w/plastic handles - Pink XSPJPRP01PP Ultra-Speed Jump Rope w/plastic handles - Purple XSPJPRP01GR Ultra-Speed Jump Rope w/plastic handles - Light Green XSPJPRP01YL Ultra-Speed Jump Rope w/plastic handles - Yellow



GYMNASTIC RINGS

XSWDRG01 1.25" Gymnastic Wood Ring (32mm.) grip - 300 Kg. Tested

- 300 Kg. Tested

1.25" GRIP



1.11" GRIP



XSWDRG02 1.11" Gymnastic Wood Ring (28mm.) Gymnastic FIG Spec grip - 300 Kg. Tested

- 300 Kg. Tested

1.25" Power Steel Ring - (32 mm.) grip - Grippy Powder Coating - 500 Kg. Tested XSPWRG01

- Grippy Powder Coating - 500 Kg. Tested







EQUIPMENT FOR THE FITTEST

CNC MADE FROM A SOLID WOOD LOG

GYMNASTIC RINGS

XSSTBK03

- 500 cm. - Color: Desert sand

XSSTBK01 16.4' Heavy duty Strap Anchor w/cam-buckle - (500 cm.)


16.4' TACFIT® Limited Edition - Heavy duty Strap Anchor w/cam-buckle

XSSTBK02 6' Competiton Strap for Gymnastic Rings w/carabiners - (185 cm.)

XSSW01 Gymnastic Ring Steel Swivel for 360° attachment

Tacfit® is a Registered Trademark used by and under license from RMAX.tv Productions and Secutor S.r.I. - (IT).





MASTER SCOTT SONNON - Founder CST/Tacfit

BODYWEIGHT GYM

PSBDWTGY02 Bodyweight GYM (Suspension training kit) - BASIC

- Nylon carry bag
- Adjustable straps w/cam-buckles and carabiners
- Anywhere Anchor Starps
- Universal strap handles w/double cradle
- Y-Kit (for unbalanced workouts)
- Neoprene carabiner's covers



PSBDWTGY01 Bodyweight GYM (Suspension training kit) - PRO


- Bodyweight GYM back-pack
- Adjustable straps w/cam-buckles and carabiners
- Anywhere Anchor Straps
- Door Anchors
- Universal strap handles w/double cradle
- Steel Power rings w/anchor straps
- Head Strap
- Neoprene carabiner's covers
- Y-Kit (for unbalanced workouts)







BODYWEIGHT GYM



Wall Anchoring Station (wall and ceiling mount)



UP TO 8 USERS

BODYWEIGHT BARS AND HANDLES

XSWAS01

XSSTPUBAR01 Suspended Pull-Up Bar w/Straps

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
3/7	120	-	-

- Frame Material: Powder coated steel - Color: Matte Black

- Bar Thickness: 32 mm. Strap Length: 300 cm.




BODYWEIGHT BARS AND HANDLES

VSPUBAR01	Wall-Mounted Pull-Up Bar

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
10 / 22	130	76	100

- Frame Material: Powder coated steel - Color: Matte Black

- Steel tube thickness: 2,5 mm. Max load: 150 kg. Max Tested load: 450 Kg.
- Pull-up Bar dia: 32 mm
 It comes with two Pull-up bars and it can be mounted either double or single
- Wall or ceiling mounted
- It can be series-mounted



VSEQLZ02	Parallettes	

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
8 / 18	40	60	30

- Frame Material: Powder coated steel - Color: Matte Black

- Steel tube thickness: 2 mm. - Max load: 150 kg.

L (cm.)


40

- Steel tube thickness: 2 mm. - Max load: 150 kg.

- Frame Material: Powder coated steel - Color: Army green

- Iter locking crossmember

 \triangle Abdominal Mat is not included



A mm. GRIP A mm. GRIP MTERLÖCKING BAR W/ KNOBS

* Tacfit® is a Registered Trademark used by and under license from RMAX.tv Productions and Secutor S.r.l. - (IT).

Parallettes - TACFIT® Limited Edition

W (cm.)

60

H (cm.)

30



VSEQLZ03

WEIGHT (Kg./Lbs)

8/18

- Iter locking crossmember

⚠ Abdominal Mat is not included

BODYWEIGHT BARS AND HANDLES

(SCPB01	Callisthe	nic Paral	llel Bars			(]		
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)			1 1		
50 / 110	230	60	160			1 1		
Material: Powder Steel tube thickne	coated stee ss: 3,5 mn	୬I - Color: B n.	Black			11	•	
							-	
SSLW01	Beech W	ood Swe	dish Ladder - Wa	all mounted - Single	Unit 250 cm. x 90	cm. (H x L)		
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)	5		. ,		
20 / 44	90	30	250					
							-	E
PSSLW02 E	Beech Wo	od Swed	ish Ladder - Wall	ll mounted - Double (Init 250 cm. x 180	cm. (H x L)		
PSSLW02 E WEIGHT (Kg./Lbs)	Seech Wa	ood Swed	i sh Ladder - Wall H (cm.)	ll mounted - Double (Jnit 250 cm. x 180	cm. (H x L)		E
				ll mounted - Double L	Init 250 cm. x 180	cm. (H x L)		
WEIGHT (Kg./Lbs)	L (cm.) 180	W (cm.) 30	H (cm.) 250	ll mounted - Double L	Jnit 250 cm. x 180	cm. (H x L)		
WEIGHT (Kg./Lbs) 35 / 77 Material: Beech w	L (cm.) 180	W (cm.) 30	H (cm.) 250	ll mounted - Double L	Jnit 250 cm. x 180	cm. (H x L)		
WEIGHT (Kg./Lbs) 35 / 77 Material: Beech w	L (cm.) 180	W (cm.) 30	H (cm.) 250	ll mounted - Double L	Init 250 cm. x 180	cm. (H x L)		

PSHOUTW02 Heavy Duty Steel Push-Up Twister Handle

- Material: Powder coated steel - Color: Matte Black

- Inner bushing revolving system

- Wide base for max stability



BODYWEIGHT BENCHES AND STATIONS





BODYWEIGHT BENCHES AND STATIONS

RKBWWT01 Bodyweight Workout Rack - 5' (1.5 m.) (up to 2 users)

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
80 / 176	257	256	250
Frama Matarial, D	ouder eest	ad ataal	Color: Mot

Frame Material: Powder coated steel - Color: Matte Black/Grey
 Steel tube thickness: 3 mm. - Max user bodyweight: 300 kg.



RKBWWT02	Bodyweight Workout Rack - 6' 7"	(2 m.) (up to 4 users)
----------	---------------------------------	------------------------

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
100 / 220.5	307	256	250

- Frame Material: Powder coated steel - Color: Matte Black/Grey

- Steel tube thickness: 3 mm. - Max user bodyweight: 600 kg.



RKBWWT03 Bodyweight Workout Rack - 10' (3 m.) (up to 6 users)

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
120 / 264.5	407	256	250

- Frame Material: Powder coated steel - Color: Matte Black/Grey

- Steel tube thickness: 3 mm. - Max user bodyweight: 900 kg.



BODYWEIGHT MATS

XSABDMT01	Abdomii	nal Mat		
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)	
0.3 / 0.6	38	30	8	
- Material: PU coate	d firm foar	n - Color: E	Black	





KEILIJS O

CIUS 0

FIRM FOAM: Ready to bear heavy bodyweight

XSEMT02 NBR Exercise Mat w/rings - short - 55" x 23.6"x 5/8" (140 x 60 x 1.5 cm.)

RKMAT05 Training Mats Wall-Mounting Rack

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
6 / 13	65	7	21.5
- Material: Powder of	coated stee	el - Color: N	latte black

- Min. / Max. loadable mats: 1 to 30 (4 mm. thickness)
- Max. load: 50 kg. Steel plate thickness: 5 mm.






POWER RESISTANCE LOOPS

 XSSQESLP01 BLACK Squat Power Resistance Loop - Extra Light - 41" (104 cm. dia.) - 1/2" (1.25 cm.) width - 4.5 mm. thick - 16 Kg./35 Lbs max resistance 	
XSSQESLP02 RED Squat Power Resistance Loop - Light - 41" (104 cm. dia.) - 3/4" (2.05 cm.) width - 4.5 mm. thick	O XENIIS O
- 23 Kg./50 Lbs max resistance	O XENILLY O
XSSQESLP03 PURPLE Squat Power Resistance Loop - Medium	3 XENTER O
- 41" (104 cm. dia.) - 1.125" (2.85 cm.) width - 4.5 mm. thick - 36 Kg./80 Lbs max resistance	3 XENTES 3
XSSQESLP04 GREEN Squat Power Resistance Loop - Heavy	A XENIUS O
- 41" (104 cm. dia.) - 1.75" (4.5 cm.) width - 4.5 mm. thick - 55 Kg./120 Lbs max resistance	C XENIUS 4

XSSQESLP05BLUE Squat Power Resistance Loop - Extra Heavy- 41" (104 cm. dia.) - 2.5" (6.4 cm.) width - 4.5 mm. thick- 75 Kg./165 Lbs max resistance



CAN BE STRETCHED UP TO 8 TIMES THE REST-LENGTH



POWER RESISTANCE LOOPS

CAN BE STRETCHED UP TO 8 TIMES THE REST-LENGTH

XSBPESLP01 BLACK Bench Press Power Resistance Loop - Extra Light

- 20" (51 cm. dia.) - 1/2" (1.25 cm.) width - 3 mm. thick

- 7.5 Kg./16.5 Lbs max resistance

XSBPESLP02 RED Bench Press Power Resistance Loop - Light

- 20" (51 cm. dia.) - 3/4" (2.05 cm.) width - 3 mm. thick

- 10 Kg./22 Lbs max resistance

XSBPESLP03 PURPLE Bench Press Power Resistance Loop - Medium

- 20" (51 cm. dia.) - 1.125" (2.85 cm.) width - 3 mm. thick

- 20 Kg./44 Lbs max resistance

XSBPESLP04 GREEN Bench Press Power Resistance Loop - Heavy

- 20" (51 cm. dia.) - 1.75" (4.5 cm.) width - 3 mm. thick

- 30 Kg./66 Lbs max resistance

XSBPESLP05 BLUE Bench Press Power Resistance Loop - Extra Heavy

- 20" (51 cm. dia.) - 2.5" (6.4 cm.) width - 3 mm. thick

- 35 Kg./77 Lbs max resistance

XSSPESLP01 BLACK Shorty Power Resistance Loop - Extra Light

- 12" (31 cm. dia.) - 1/2" width (1.25 cm.) - 4,5 mm. thick

- 14 Kg./30 Lbs max resistance

XSSPESLP02 RED Shorty Power Resistance Loop - Light

- 12" (31 cm. dia.) 3/4" width (2.05 cm.) 4,5 mm. thick
- 23 Kg./50 Lbs max resistance

XSSPESLP03 PURPLE Shorty Power Resistance Loop - Medium

- 12" (31 cm. dia.) - 1.13" width (2.85 cm.) - 4,5 mm. thick

- 30 Kg./65 Lbs max resistance





Xervins 2







WEIGHTED VESTS

VSWGVT01 Neoprene Runner's weighted Vest - 5 kg.

 ${\it
m
m A}$ Straps and Rings are not included





VSWGVT04 Nylon Shaped weighted Vest - 10 kg. max





VIKING HAMMER

*

VSVKHM4	Black Training Viking Hammer - 4 kg.		
VSVKHM6	Black Training Viking Hammer - 6 kg.		
VSVKHM8	Black Training Viking Hammer - 8 kg.		
VSVKHM10	Black Training Viking Hammer - 10 kg.		
VSVKHM12	Black Training Viking Hammer - 12 kg.		
VSVKHM15	Black Training Viking Hammer - 15 kg.	Xernetter	
VSVKHM20	Black Training Viking Hammer - 20 kg.		
VSVKHM25	Black Training Viking Hammer - 25 kg.		
VSVKHM30	Black Training Viking Hammer - 30 kg.		
VSVKHM35	Black Training Viking Hammer - 35 kg.		
VSVKHM40	Black Training Viking Hammer - 40 kg.		
XSRBTBK01 - 115 Lbs (52 kg.	Rubber Tank Block - 24" x 12" x 10" (60 x) - Color: black	: 30 x 25 cm.)	INTERLOCKING PIN OPTION AVAILABLE ON DEMAND
XSRBTBK02 - 115 Lbs (52 kg.	Rubber Tank Block - 24" x 12" x 10" (60 x) - Color: navy blue		
XSRBTBK03 - 115 Lbs (52 kg.	Rubber Tank Block - 24" x 12" x 10" (60 x) - Color: black - w/interlocking ends	x 30 x 25 cm.)	XENIIS
XSRBTBK04 - 115 Lbs (52 kg.	Rubber Tank Block - 24" x 12" x 10" (60 x) - Color: navy blue - w/interlocking ends	: 30 x 25 cm.)	

XSRBTBK05 Rubber Tank Block - Interlocking Pin set



GRIP TRAINING

VSWRRL01 Pro Wrist Roller (can fit 2" plates)







- Material: PU-Rubber

FatGripz® is a Patented Design and a Registered Trademark used by and under license from Fat Gripz Enterprises.



PGRIPS 2" Powergrip

- Grip Diameter: 5 cm. - Material: PU-Rubber






SPECIAL GRIP

VSGPSG01	Strongmen Spring - 100 Lbs (50 kg.)	
VSGPSG02	Strongmen Spring - 200 Lbs (100 kg.)	A A
VSGPSG03	Strongmen Spring - 300 Lbs (150 kg.)	

GRIP TRAINING

VSAXFIT52 X	RIG™ - 12	2" Strongmen Pull-Up Globe w/carabiner and strap (30 cm.)
WEIGHT (Kg./Lbs)	Dia. (cm.)	
5.8 / 12.7	30	
Vaterial: Powder coat	ted steel - Colo	r: Matte black - Carabiner and Strap included
SAXFIT55 X	RIG™ - 3'	" Strongmen Pull-Up Marble w/carabiner and strap (8 cm.)
WEIGHT (Kg./Lbs)	Dia. (cm.)	


- Material: Powder coated steel - Color: Matte black - Carabiner and Strap included



	Dia. (cm.)		
1.2 / 2.6	13		<u>5"</u>
Material: Powder coat	ted steel - Color	Matte black - Carabiner and Strap included	
SAXFIT54 X	RIG™ - 3"	Strongmen Pull-Up Marble (8 cm.)	
SAXFIT54 X WEIGHT (Kg./Lbs)	RIG™ - 3" Dia. (cm.)	Strongmen Pull-Up Marble (8 cm.)	2"

3"





WATER PIPES



EIGHT AND POWER LIFTING

STATIONS FOR WEIGHT AND POWER LIFTING

RKXFIT17 XRIG[™] RACK 4'x 6' x 9' - w/ Power Lifting Cage

- XRIG[™] 9' Basic Upright (270 cm.) x6PCs
- XRIG[™] 4' Basic Pull-Up frame (108 cm.) x2PCs
- XRIG[™] Power Bands Pegs Cross Member (to be used with Power Lifting Cage) x4PCs
- XRIG[™] Back Cross Member (to be used with Power Lifting Cage) x2PCs
- XRIG[™] Plates Sleeve x6PCs
- XRIG[™] Safety Strap Anchoring Tool (to be used with Power Lifting Cage) x2PCs
- XRIG[™] 2"x55" Nylon Safety Strap w/HD Carabiner (Max.Load 1200 Kg.) (to be used with Power Lifting Cage) x2PCs
- XRIG™ Safety Spotter Arm x2PCs
- XRIG[™] Bar J-Rack x4PCs

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)	
233 / 513	120	180	270	


- Material: Powder coated steel - Color: Matte black

- Steel tubes size: 60x60x3.5 mm. + 32x4 mm. round tubes.

using the"Powerlifting Cage-rack upgrade kit (VSFXFIT17)".

*2 - Pull-Up heights: 6'10"-7'6"-8'3" (only w/12' Uprights)
 Can be switched with: Double Cross Member (VSFXFIT22/23)/Muscle-Up (VSFXFIT28/21/36/37) /Offset Pull-Up Frame (VSAXFIT01/06)/Offset Pull-Up Bar (VSAXFIT35/36)
 Pull-Up heights: 8'74"-6'10"

XRIG[™] configurations come disassembled.



VSSQST01	Heavy Duty Squat Stand (Pair of Bar J-Rack included	d)

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
50 / 110	120	130	180

- Material: Powder coated steel - Color: Matte Black - Steel tubes size: 60x60x3.5 mm.

*1

١

 \triangle Bar and plates are sold as separate



I WEIGHT AND POWER LIFTING

STATIONS FOR WEIGHT AND POWER LIFTING

VSAXFIT09 XRIG[™] - Safety Spotter Arm

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
20 / 44	66	9	29

- Material: Powder coated steel - Color: Matte Black Steel tubes

- Max load: 500 Kg.

- Steel tubes size: 60x60x3.5 mm.



VSAXFIT10 XRIG[™] - Plates Storage Sleeve

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
4/9	43	6.5	14
- Material: Powder	coated stee	el - Color: N	/latte Blac

- Max load: 300 Kg.

- Steel tube diameter: 48 mm.

VSBDPG01 Heavy Duty Squat Stand option - Band Pegs (6 pcs)

- Material: Steel - Finishing: Chromed

VSYKSD01 Heavy Duty Squat Stand option - Yoke & Sleds Plates Support and Sled Skies

- Material: Powder coated steel - Color: Matte Black







VSYSCBAR01 Heavy Duty Squat Stand option - Yoke & Sled Cross-Bar


WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
10 / 22	120	6	22

- Material: Powder coated steel - Color: Matte Black

- Diameter: 6 cm.



I WEIGHT AND POWER LIFTING



I WEIGHT AND POWER LIFTING I

ONE ITEM = FOUR WORKOUT TOOLS





WEIGHT AND POWER LIFTING

STATIONS FOR WEIGHT AND POWER LIFTING EXTRA HARDNESS FOAM FOR HEAVY BODYWEIGHT VSFTBC02 Heavy Duty Utility Adjustable Bench WEIGHT (Kg./Lbs) L (cm.) W (cm.) H (cm.) 40 / 88 150 60 45 В - (Bench) Material: PVC Coated foam w/ plyowood core - Color: Black - Size (A): 120(L) x32(W.)x6(Thick.) - Size (B): 30(L)x32(W.)x6(Thick.) - (Steel Frame) Material: Powder coated steel w/ hard chromed steel plates for adjustable means - Color: Matte Black - Size: 75x75x3.5 cm. steel tubes WLFTPLT01 Weight Lifting Platfrom 3x2 m. - Bamboo Workout Platform WEIGHT (Kg./Lbs) L (cm.) W (cm.) H (cm.) 208.8 3 140 / 309 305 - Wood-Core Rubber Tiles (200x100x3 cm. each) - Bamboo-Wood Platform (200x100x3 cm.) - 3x3 cm. steel rim SPECIAL 3 cm. THICKNESS WOOD-CORE RUBBER TILES. TO REDUCE AND CONTROL BARS BOUNCES. CUSTOM LOGO AVAILABLE ON DEMAND



Α

DUAL ADJUSTABLE

EXTRA HARDNESS BAMBOO WORKOUT PLATFORM - 3 cm. THICKNESS



WEIGHT AND POWER LIFTING

RKOBAJSD02 WEIGHT (Kg./Lbs) 140 / 308 - Material: Pine plyw - 45/30/15/6 cm RKOBAJSD03	Wood Jerk I L (cm.) W (c 91 51 vood - Color: ligh Top w/safety edge	m.) H (cm.) 1 91	ole elements set	(pair) - 40/30/15/6	cm.	Xenins	- Xennes		PINE PLYWOOD
140 / 308 - Material: Pine plyv - 45/30/15/6 cm RKOBAJSD03	91 51 vood - Color: ligh Top w/safety edg	1 91 It wood	r coating - 91x51 cm.			Xenins	-		<u>PINE PLYWOOD</u>
140 / 308 - Material: Pine plyv - 45/30/15/6 cm RKOBAJSD03	91 51 vood - Color: ligh Top w/safety edg	1 91 It wood	r coating - 91x51 cm.				- Xennes	-	
- 45/30/15/6 cm	Top w/safety ede		r coating - 91x51 cm.						
	Weed lark			. foot print		Const	-		
	wood Jerk I	Block - 91x51x40	(H) cm. Element	- Safety Edges Equi	ipped Top				
WEIGHT (Kg./Lbs)	L (cm.) W (c	m.) H (cm.)							
35 / 77	91 51							10	-
- Material: Pine plyw	vood - Color: ligh	t wood						AUNIDES.	
RKOBAJSD04	Wood Jerk I	Block - 91x51x30	(H) cm. Element	- Safety Edges Equi	ipped Top	XENIIIS	-		
WEIGHT (Kg./Lbs)	L (cm.) W (c	m.) H (cm.)							
20 / 44	91 51						-		
- Material: Pine plyw	vood - Color: ligh	t wood							
RKOBAJSD05	Wood Jerk I	Block - 91x51x15	(H) cm. Element	- Safety Edges Equi	ipped Top			XENIIIS	
WEIGHT (Kg./Lbs)	L (cm.) W (c	m.) H (cm.)							-
10 / 22	91 51							10	-
- Material: Pine plyw	vood - Color: ligh	t wood							
RKOBAJSD06		Block - 91x51x6 (Inti-skid rubber)	H) cm. Element -	Safety Edges Equip	ped Top	Xexins			
WEIGHT (Kg./Lbs)	L (cm.) W (c	m.) H (cm.)					-		
5/11	91 51	1 6					1		
- Material: Pine plyw	vood - Color: ligh	t wood							
					EPDM PAD OP	TION			
KENT									
WEIGHT AN	D POWER	LIFTING TOO	S						
WEIGHT ANI XSBRJK01	D POWER Barbell-Jac		S						

 ${\rm A}{
m Bar}$ and plate are not included



STRONGMAN RUBBER HEX DUMBBELLS

HRBDB55	Strongman Black Rubber Hex Dumbbell w/ contoured handle - 55 Kg.	
HRBDB60	Strongman Black Rubber Hex Dumbbell w/ contoured handle - 60 Kg.	R
HRBDB65	Strongman Black Rubber Hex Dumbbell w/ contoured handle - 65 Kg.	
HRBDB70	Strongman Black Rubber Hex Dumbbell w/ contoured handle - 70 Kg.	



SPECIALITY BARS AND TOOLS

LOGBAR02

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
30 / 66	128	23	23
- 150 Ka./330 Lbs	max. load		

- Material: Powder coated steel - Color: matte black

 ${\rm I}{\rm A}$ Plates are not included.

 ${\rm I}{\rm All}$ All Xenios USA® bars are not pre-equipped with collars.

PRSTRGL0GBAR01 Pro-Strongman Training Log Bar - Black Powder Coated

51" Black Coated Strongman Short Log Bar

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
35 / 77	185	22	36

- Material: Powder coated steel - Color: matte black

 ${\rm \AA}$ All Xenios USA® bars are not pre-equipped with collars.

PRSTRGLOGBAR02 Pro-Strongman Contest Log Bar (Super Light) - Zinc Plated

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
40 / 88	160	32	20
- 300 Kg./661 Lbs - Material: Zinc Plat			
⚠ All Xenios USA	® bars ar	e not pre-	equipped

PRSTRGLOGBAR03 Pro-Strongman Contest Log Bar - Black Powder Coated

WEIGHT (Kg	g./Lbs)	L (cm.)	W (cm.)	H (cm.)
72 / 15	8	200	30	25
- 350 Kg./7 - Material: P				natte black
\land All Xenio	os USA	® bars ar	e not pre-	equipped



EQUIPPED WITH



SPECIALITY BARS AND TOOLS

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)			
14 / 31	L (cm.) 150	w (cm.) 7	н (спі.) 19			
kg. each 0 Kg./220 Lbs aterial: Powder d	coated stee	el - Color: n				
All Xenios USA	® bars ar	e not pre-	equipped	with collars.		
FRWK02	59" Bla	ck Coate	ed Strong	ymen Farmer Walk B	ars	
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)			
42 / 92	153	7	19			
21 kg. each 150 Kg./300 Lbs Material: Powder o Plates are not	coated stee		natte black			
⚠ All Xenios USA	® bars ar	e not pre-	equipped	with collars.		
PRSTRFRWK01	I	Pro-Stroi	ngman T	raining Farmer Walk	Bars w/adjustable grips	S
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)			1
32 / 70	120	20	60			
- 16 kg. each - 150 Kg./300 Lbs - Material: Powder d			natte black			7
All Xenios USA	® bars ar	e not pre-	equipped			
					c Plated	
				with collars.	c Plated	
All Xenios USA PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88		Pro-Stroi	ngman F	with collars.	c Plated	
WEIGHT (Kg./Lbs) 40 / 88 - 20 kg. each - 250 Kg./551 Lbs - Material: zinc plate	L (cm.) 100 max. load ed - Color:	Pro-Stroi W (cm.) 16 each color zinc	ngman F H (cm.) 42	with collars. armer Walk Bars Zin	c Plated	
PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 - 20 kg. each - 250 kg./551 Lbs - Material: zinc plate All Xenios USA	L (cm.) 100 max. load ed - Color: ® bars ar	Pro-Stroi W (cm.) 16 each color zinc e not pre-	ngman F H (cm.) 42 equipped	with collars. armer Walk Bars Zin with collars.		
PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 - 20 kg. each - 250 Kg./551 Lbs - Material: zinc plate All Xenios USA	L (cm.) 100 max. load ed - Color: ® bars ar	Pro-Stroi W (cm.) 16 each color zinc e not pre-	ngman F H (cm.) 42 equipped	with collars. armer Walk Bars Zin		
PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 - 20 kg. each - 250 Kg./551 Lbs - Material: zinc plate All Xenios USA	L (cm.) 100 max. load ed - Color: ® bars ar	Pro-Stroi W (cm.) 16 each color zinc e not pre-	ngman F H (cm.) 42 equipped	with collars. armer Walk Bars Zin with collars.		
PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 - 20 kg. each - 250 Kg./551 Lbs - Material: zinc plate 介 All Xenios USA PRSTRFRWK03	L (cm.) 100 max. load ed - Color: ® bars ar	V (cm.) 16 each color zinc e not pre- Pro-Strop	ngman F H (cm.) 42 equipped ngman C	with collars. armer Walk Bars Zin with collars.		
PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 20 kg. each 250 Kg./551 Lbs Material: zinc plate ↑ All Xenios USA PRSTRFRWK03 WEIGHT (Kg./Lbs) 90 / 198 45 kg. each 350 Kg./771 Lbs	L (cm.) 100 max. load ad - Color: ® bars ar L (cm.) 150 max. load	Pro-Stroi W (cm.) 16 each color zinc e not pre- Pro-Stroi W (cm.) 20 each	ngman F H (cm.) 42 equipped ngman C H (cm.) 60	with collars. armer Walk Bars Zin with collars. ontest Farmer Walk		
PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 - 20 kg. each - 250 Kg./551 Lbs - Material: zinc plate ▲ All Xenios USA PRSTRFRWK03 WEIGHT (Kg./Lbs) 90 / 198 - 45 kg. each - 350 kg./771 Lbs - Material: Powder of	L (cm.) 100 max. load cd - Color: ® bars ar bars ar L (cm.) 150 max. load coated stee	Pro-Stroi W (cm.) 16 each color zinc e not pre- Pro-Stroi W (cm.) 20 each el - Color: n	ngman F H (cm.) 42 equipped ngman C H (cm.) 60	with collars. armer Walk Bars Zin with collars. ontest Farmer Walk		
PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 - 20 kg. each - 250 Kg./551 Lbs - Material: zinc plate All Xenios USA PRSTRFRWK03 WEIGHT (Kg./Lbs) 90 / 198 - 45 kg. each - 350 kg./771 Lbs - Material: Powder of All Xenios USA	L (cm.) 100 max. load dd - Color: ® bars ar L (cm.) 150 max. load coated stee ® bars ar	Pro-Stroi W (cm.) 16 each color zinc e not pre- Pro-Stroi W (cm.) 20 each el - Color: n e not pre-	ngman F H (cm.) 42 equipped ngman C H (cm.) 60 natte black equipped	with collars. armer Walk Bars Zin with collars. ontest Farmer Walk	Bars	
PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 - 20 kg. each - 250 Kg./551 Lbs - Material: zinc plate AII Xenios USA PRSTRFRWK03 WEIGHT (Kg./Lbs) 90 / 198 - 45 kg. each - 350 kg./771 Lbs - Material: Powder of AII Xenios USA PSOOBAR01	L (cm.) 100 max. load dd - Color: bars ar L (cm.) 150 max. load coated stee bars ar 86"	Pro-Stroi W (cm.) 16 each color zinc e not pre- Pro-Stroi W (cm.) 20 each el - Color: n e not pre-	ngman F H (cm.) 42 equipped ngman C H (cm.) 60 natte black equipped	with collars. armer Walk Bars Zin with collars. ontest Farmer Walk with collars.	Bars	
PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 - 20 kg. each - 250 Kg./551 Lbs - Material: zinc plate All Xenios USA PRSTRFRWK03 WEIGHT (Kg./Lbs) 90 / 198 - 45 kg. each - 350 kg./771 Lbs - Material: Powder of All Xenios USA	L (cm.) 100 max. load dd - Color: ® bars ar L (cm.) 150 max. load coated stee ® bars ar	Pro-Stroi W (cm.) 16 each color zinc e not pre- Pro-Stroi W (cm.) 20 each el - Color: n e not pre-	ngman F H (cm.) 42 equipped ngman C H (cm.) 60 natte black equipped	with collars. armer Walk Bars Zin with collars. ontest Farmer Walk with collars.	Bars	
RSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 20 kg. each 250 Kg./551 Lbs Material: zinc plate All Xenios USA RSTRFRWK03 WEIGHT (Kg./Lbs) 90 / 198 45 kg. each 350 Kg./771 Lbs Material: Powder (Kg./Lbs) CSOOBAR01 WEIGHT (Kg./Lbs) 32 / 70	L (cm.) 100 max. load dd - Color: bars ar L (cm.) 150 max. load coated stee bars ar 86" L (cm.) 220	Pro-Stroi W (cm.) 16 each color zinc e not pre- Pro-Stroi W (cm.) 20 each el - Color: n e not pre- Chromed	ngman F H (cm.) 42 equipped ngman C H (cm.) 60 hatte black equipped I finish (with collars. armer Walk Bars Zin with collars. ontest Farmer Walk with collars. Dversize Olympic Bar	Bars	
PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 - 20 kg. each - 250 Kg./551 Lbs - Material: zinc plate All Xenios USA PRSTRFRWK03 WEIGHT (Kg./Lbs) 90 / 198 - 45 kg. each - 350 Kg./771 Lbs - Material: Powder of All Xenios USA PSO0BAR01 WEIGHT (Kg./Lbs) 32 / 70 - 500 Kg./1100 Lb	L (cm.) 100 max. load d - Color: bars ar L (cm.) 150 max. load coated stee bars ar 86" L (cm.) 220 s max. loa	Pro-Stroi W (cm.) 16 each color zinc e not pre- Pro-Stroi W (cm.) 20 each el - Color: n e not pre- Chromed d - Materia	ngman F H (cm.) 42 equipped ngman C H (cm.) 60 natte black equipped I finish (with collars. armer Walk Bars Zin with collars. ontest Farmer Walk with collars. Dversize Olympic Bar nishing: Chromed	Bars	
PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 - 20 Kg. each - 250 Kg./551 Lbs - Material: zinc plate All Xenios USA PRSTRFRWK03 WEIGHT (Kg./Lbs) 90 / 198 - 45 Kg. each - 350 Kg./771 Lbs - Material: Powder of All Xenios USA PSO0BAR01 WEIGHT (Kg./Lbs) 32 / 70	L (cm.) 100 max. load d - Color: bars ar L (cm.) 150 max. load coated stee bars ar 86" L (cm.) 220 s max. loa s max. loa	Pro-Stroi W (cm.) 16 each color zinc e not pre- Pro-Stroi W (cm.) 20 each el - Color: n e not pre- Chromed d - Materia e not pre-	ngman F H (cm.) 42 equipped ngman C H (cm.) 60 hatte black equipped I finish (I: Steel - Fi equipped	with collars. armer Walk Bars Zin with collars. ontest Farmer Walk with collars. Dversize Olympic Bar nishing: Chromed with collars.	Bars	
PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 - 20 kg. each - 250 Kg./551 Lbs - Material: zinc plate All Xenios USA PRSTRFRWK03 WEIGHT (Kg./Lbs) 90 / 198 - 45 kg. each - 350 kg./771 Lbs - Material: Powder of All Xenios USA PSO0BAR01 WEIGHT (Kg./Lbs) 32 / 70 - 500 Kg./1100 Lb All Xenios USA	L (cm.) 100 max. load color: bars ar L (cm.) 150 max. load coated stee bars ar 86" L (cm.) 220 s max. loa s max. loa s max. loa 47"	Pro-Stroi W (cm.) 16 each color zinc e not pre- Pro-Stroi W (cm.) 20 each el - Color: n e not pre- Chromed d - Materia e not pre-	ngman F H (cm.) 42 equipped ngman C H (cm.) 60 hatte black equipped I finish (I: Steel - Fi equipped	with collars. armer Walk Bars Zin with collars. ontest Farmer Walk with collars. Dversize Olympic Bar nishing: Chromed	Bars	
PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 20 kg. each 250 Kg./551 Lbs Material: zinc plate AII Xenios USA PRSTRFRWK03 WEIGHT (Kg./Lbs) 90 / 198 45 kg. each 350 Kg./771 Lbs Material: Powder of AII Xenios USA PSOOBAR01 WEIGHT (Kg./Lbs) 32 / 70 500 Kg./1100 Lb AII Xenios USA PSOOBAR02 WEIGHT (Kg./Lbs)	L (cm.) 100 max. load ed - Color: bars ar L (cm.) 150 max. load coated stee bars ar 86" L (cm.) 220 s max. loa s max. loa 47" L (cm.)	Pro-Stroi W (cm.) 16 each color zinc e not pre- Pro-Stroi W (cm.) 20 each el - Color: n e not pre- Chromed d - Materia e not pre-	ngman F H (cm.) 42 equipped ngman C H (cm.) 60 hatte black equipped I finish (I: Steel - Fi equipped	with collars. armer Walk Bars Zin with collars. ontest Farmer Walk with collars. Dversize Olympic Bar nishing: Chromed with collars.	Bars	
PRSTRFRWK02 WEIGHT (Kg./Lbs) 40 / 88 20 kg. each 250 kg./551 Lbs Material: zinc plate All Xenios USA PRSTRFRWK03 WEIGHT (Kg./Lbs) 90 / 198 45 kg. each 350 kg./771 Lbs Material: Powder of All Xenios USA PSOOBAR01 WEIGHT (Kg./Lbs) 32 / 70 500 kg./1100 Lb All Xenios USA SOOBAR02	L (cm.) 100 max. load d - Color: bars ar L (cm.) 150 max. load coated stee bars ar 86" L (cm.) 220 s max. loa bars ar 86" L (cm.) 220 s max. loa	Pro-Stroi W (cm.) 16 each color zinc e not pre- Pro-Stroi W (cm.) 20 each el - Color: n e not pre- Chromed d - Materia e not pre- Chromed	ngman F H (cm.) 42 equipped ngman C H (cm.) 60 hatte black equipped I finish (I Steel - F equipped I finish (with collars. armer Walk Bars Zin with collars. ontest Farmer Walk with collars. Dversize Olympic Bar nishing: Chromed with collars. Dversize Olympic Bar	Bars	

STRONGMEN GEAR

PSAXLBAR01 82.6" Black Coated Long Axle WEIGHT (Kg./Lbs) L (cm.) 12 / 26 210 - 300 Kg./660 Lbs max. load - 300 Kg./660 Lbs max. load - Can fit gym racks - Material: Powder coated steel - Color: matte black - Grip diameter: 50 mm

PSAXLBAR02 60" Black Coated Short Axle

WEIGHT (Kg./Lbs)	L (cm.)	
9 / 20	152	
	coated steel - Color: matte b	lack
rip diameter: 50 m All Xenios USA®	mm ® bars are not pre-equip	ped with collars.

PSOHQBAR03 63"x24" x24" Olympic Strongman Hexagonal Bar w/double grip

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
38 / 84	160	64	-
- 450 Kg./1000 Lbs - Material: Steel - Fi - Grip diameter: 32	nishing: N		
⚠ All Xenios USA	® bars ar	e not pre-	equipped

XSBRJK01 Barbell-Jack WEIGHT (Kg./Lbs) L (cm.) W (cm.) 5 / 11 65 8

 ${
m
m A}$ Bar and plate are not included

STRONGMAN EVOLUTION CAST-IRON KETTLEBELLS

H (cm.)

34

PSCIKBLH56	Strongman Evolution Black Powder Coated Cast Iron Kettlebell - 56 Kg.
PSCIKBLH68	Strongman Evolution Black Powder Coated Cast Iron Kettlebell - 68 Kg.
PSCIKBLH80	Strongman Evolution Black Powder Coated Cast Iron Kettlebell - 80 Kg.
PSCIKBLH92	Strongman Evolution Black Powder Coated Cast Iron Kettlebell - 92 Kg.





STRONGMAN MED BALLS

PSBCSBL14-30	14" Strongman Med Ball - 30 Kg. (65 Lbs - 35 cm.)
PSBCSBL14-40	14" Strongman Med Ball - 40 Kg. (90 Lbs - 35 cm.)
PSBCSBL14-50	14" Strongman Med Ball - 50 Kg. (110 Lbs - 35 cm.)
PSBCSBL14-60	14" Strongman Med Ball - 60 Kg. (130 Kbs - 35 cm.)
PSBCSBL14-70	14" Strongman Med Ball - 70 Kg. (150 Lbs - 35 cm.)
PSBCSBL14-80	14" Strongman Med Ball - 80 Kg. (180 Kbs - 35 cm.)
PSBCSBL14-90	14" Strongman Med Ball - 90 Kg. (200 Lbs - 35 cm.)
PSBCSBL14-100	14" Strongman Med Ball - 100 Kg. (220 Lbs - 35 cm.)



ATLAS STONES

VSATST10	8" Atlas Stone - (20 cm. dia.) - 23 Lbs (10 Kg.) approx.
VSATST20	10" Atlas Stone - (25 cm. dia.) - 42 Lbs (19 Kg.) approx.
VSATST30	12" Atlas Stone - (30 cm. dia.) - 72 Lbs (32 Kg.) approx.
VSATST50	14" Atlas Stone - (35 cm. dia.) - 116 Lbs (52 Kg.) approx.
VSATST80	16" Atlas Stone - (40 cm. dia.) - 175 Lbs (80 Kg.) approx. COAING SOON
VSATST100	18" Atlas Stone - (45 cm. dia.) - 240 Lbs (110 Kg.) approx.
VSATSTMD10	Mold for 8" Atlas Stone - (20 cm. dia.) - 23 Lbs (10 Kg.) approx.
VSATSTMD20	Mold for 10" Atlas Stone - (25 cm. dia.) - 42 Lbs (19 Kg.) approx.
VSATSTMD30	Mold for 12" Atlas Stone - (30 cm. dia.) - 72 Lbs (32 Kg.) approx.
VSATSTMD50	Mold for 14" Atlas Stone - (35 cm. dia.) - 116 Lbs (52 Kg.) approx.
VSATSTMD80	Mold for 16" Atlas Stone - (40 cm. dia.) - 175 Lbs (80 Kg.) approx.
VSATSTMD100	Mold for 18" Atlas Stone - (45 cm. dia.) - 240 Lbs (110 Kg.) approx.

GRIP TRAINING GEAR

SGPSG02	Strongmen Spring - 200 Lbs (100 Kg.) Strongmen Spring - 300 Lbs (150 Kg.)				
SGPSG03					
SAXFIT52	XRIG™ - 12	2" Strongmen Pull-Up Globe w/carabiner and strap			
VEIGHT (Kg./Lbs)	Dia. (cm.)				
5.8 / 12.7	30				
Material: Powder co	ated steel - Cold	r: Matte black - Carabiner and Strap included			
		· · · · · · · · · · · · · · · · · · ·			
SAXFIT55	XRIG™ - 3'	or: Matte black - Carabiner and Strap included Strongmen Pull-Up Marble w/carabiner and strap			
	XRIG™ - 3'	· · · · · · · · · · · · · · · · · · ·			

VSAXFIT53)	(RIG™ - 5'	' Strongmen Pull-Up Marble
WEIGHT (Kg./Lbs)	Dia. (cm.)	
1.2 / 2.6	13	

- Material: Powder coated steel - Color: N	Natte black - Carabiner and Strap included

VSAXFIT54	XRIG™ - 3"	Strongmen Pull-Up Marble
WEIGHT (Kg./Lbs)	Dia. (cm.)	

8


1.2 / 2.6

- Material: Powder coated steel - Color: Matte black - Carabiner and Strap included



MOLD FOR ATLAS STONE





EQUIPMENT FOR THE FITTEST

<u>5"</u>

3"

Cage inner length


STATIONS FOR WEIGHT AND POWER LIFTING



- RKXFIT17MS MAGNUM SERIES XRIG[™] Big Boy Rack 4'x 6' x 9' (122 cm. x 182 cm. x 270 cm.) - w/ Power Lifting Cage
 - MAGNUM SERIES XRIG™ 9' Basic Upright (270 cm.) 3.15" x 3.15" x 8 Gauge (8 x 8cm. x 4mm.) Oversize Steel Tube - x6PCs
 - XRIG™ 4' Basic Pull-Up frame (104 cm.) M.S. (to be used with Magnum Series Rack) x2PCs
 - XRIG™ Power Bands Pegs Cross Member (to be used with Power Lifting Cage) x4PCs
 - XRIG™ Back Cross Member M.S. (to be used with RKXFIT17MS BIG BOY POWER LIFTING CAGE) x2PCs
 - XRIG™ Plates Sleeve M.S. (to be used with Magnum Series Uprights) x6PCs
 - MAGNUM SERIES XRIG[™] Safety Strap Anchoring Tool 8 Gauge (4 mm. steel thickness) x2PCs
 - XRIG™ 2"x55" Nylon Safety Strap w/HD Carabiner (Max.Load 1200 Kg.) (for XRIG POWER LIFTING CAGE) x2PCs
 - MAGNUM SERIES XRIG™ Safety Spotter Arm 8 Gauge (4 mm. steel thickness) x2PCs - MAGNUM SERIES - XRIG™ - Bar J-Rack - 8 Gauge (4 mm. steel thickness) x4PCs
- WEIGHT (Kg./Lbs) L (cm.) W (cm.) H (cm.)

270


182



122

 \triangle Should you got an XFIT Rack already, it can be upgraded to the Powerlifting Cage by using the "Powerlifting Cage-rack upgrade kit (VSFXFIT17)".

** - Pull-Up heights: 6'10"-7'6"-8'3" (only w/12' Uprints) - Can be switched with: Double Cross Member (VSFXFIT22/23)/Muscle-Up (VSFXFIT28/21/36/37) /Offset Pull-Up Frame (VSAXFIT01/06)/Offset Pull-Up Bar (VSAXFIT35/36) - Pull-Up heights: 8'74"-6'10"



XRIG[™] configurations come disassembled.

265 / 584



VSSQST01MS MAGNUM SERIES - Heavy Duty Squat Stand (Bar J-Rack included) - 3.15" x 3.15" x 8 Gauge (8 x 8 cm. x 4 mm.) Oversize Steel Tubes


WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)	
58 / 127	120	130	200	

- Material: Powder coated steel

- Color: Matte BlackSteel tubes size: 80x80x4 mm.
- Sleel lubes size: 60x60x4 IIIII

*1

 \triangle Bar and plates are sold as separate




STATIONS FOR WEIGHT AND POWER LIFTING



VSAXFIT09MS MAGNUM SERIES - Heavy Duty Squat Stand option - Safety Spotter Arm - 3.15" x 3.15" x 8 Gauge (8 x 8 cm. x 4 mm.) Oversize Steel Tubes

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)				
20 / 45	66	9	29				
- Material: Powder coated steel - Color: Matte Black Steel tubes - Max load: 500 Kg.							

- Steel tubes size: 80x80x4 mm.







VSAXFIT10MS MAGNUM SERIES - Plates Storage Sleeve

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
10 / 22	43	9	14
Matarial, Davidar			lette Dieel

- Material: Powder coated steel - Color: Matte Black Steel tubes mm.


Max load: 300 Kg.Steel tube diameter: 48 mm.











STATIONS FOR WEIGHT AND POWER LIFTING



COMING SOON





**

CARDIO ENDURANCE

CARDIO ENDURANCE

C€ RoHS




ARDIO ENDURANCE

CARDIO ENDURANCE

SKIERG S	SkiErg C	oncept2	- M.Y. 2015 - Wall Mounted CE RoHS
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
20.9 / 46	52	48	212
- Material: steel - Color: black			
		DN	cept <mark>2</mark>
		NDD	OR ROWER





* CONCEPT2® is a Patented Invention and a Patented Design and a Registered Trademark owned by and used under license from Concept2 Inc. - VT(USA)

SKIERGFS

16 / 35

CARDIO ENDURANCE

CARDIO ENDURANCE







ASSAULTBKWDSC

Assault Airbike Option - Wind Screen





Assault Bike® is a registered trademark owned by and used under license from Lifecore Fitness Inc. (USA)



FIGHTER GEAR

FIGHTER TRAINING

	KAINING	
PSNYFGT01	Fighter Belt w/rings - Small	XENIUS
PSNYFGT02	Fighter Belt w/rings - Large	
PSNYFGT03	Fighter Ankle Cuff w/ring	
PSNYFGT04	Fighter Wrist Cuff w/ring and thumb hook	>
PSFTGKIT01	Fighter Kit Small - Light - 12" Green Nylon Encased Multi-use Elastic Tube - Light - x2PCs - 14" Green Nylon Encased Multi-use Elastic Tube - Light - x2PCs - Fighter Ankle Cuff w/ring - x2PCs - Fighter Wrist Cuff w/ring and thumb hook - x2PCs - Fighter Belt w/rings - Small - x1PC	XENIUS O
PSFTGKIT02	Fighter Kit Large - Light	VEDWASTER AWARMAN ANT MEMORY
	 12" Green Nylon Encased Multi-use Elastic Tube - Light - x2PCs 14" Green Nylon Encased Multi-use Elastic Tube - Light - x2PCs Fighter Ankle Cuff w/ring - x2PCs Fighter Wrist Cuff w/ring and thumb hook - x2PCs Fighter Belt w/rings - Large - x1PC 	
PSFTGKIT03	Fighter Kit Small - Heavy	
	 12" Blue Nylon Encased Multi-use Elastic Tube - Heavy - x2PCs 14" Blue Nylon Encased Multi-use Elastic Tube - Heavy - x2PCs Fighter Ankle Cuff w/ring - x2PCs Fighter Wrist Cuff w/ring and thumb hook - x2PCs Fighter Belt w/rings - Small - x1PC 	
PSFTGKIT04	Fighter Kit Large - Heavy - 12" Blue Nylon Encased Multi-use Elastic Tube - Heavy - x2PCs - 14" Blue Nylon Encased Multi-use Elastic Tube - Heavy - x2PCs - Fighter Ankle Cuff w/ring - x2PCs - Fighter Wrist Cuff w/ring and thumb hook - x2PCs - Fighter Belt w/rings - Large - x1PC	
	Des Einkton Vit Linkt	
PSFTKITP01	Pro Fighter Kit - Light - 51" Green Nylon Encased Multi-use Elastic Tube - Light - x4PCs - Fighter Ankle Cuff w/ring - x2PCs - Fighter Wrist Cuff w/ring and thumb hook - x2PCs - Anchoring Steel Ring w/steel heavy duty carabiner - x1PC	227
PSFTKITP03	Pro Fighter Kit - Heavy	< < >> 📈
	- 51" Blue Nylon Encased Multi-use Elastic Tube - Heavy - x4PCs - Fighter Ankle Cuff w/ring - x2PCs - Fighter Wrist Cuff w/ring and thumb hook - x2PCs - Anchoring Steel Ring w/steel heavy duty carabiner - x1PC	
PSSTKIT01	Striker Kit - Light	
	- Striker Shoulder Harness - x1PC - Green Striker Elastic Tube - Light - x1PC - Fighter Wrist Cuff w/ring and thumb hook - x2PCs	
PSSTKIT03	Striker Kit - Heavy	
	 Striker Shoulder Harness - x1PC Blue Striker Elastic Tube - Heavy - x1PC Fighter Wrist Cuff w/ring and thumb hook - x2PCs 	
	EQUIPMENT FOR THE FITT	EST 👘 🖌



WORKOUT GEAR

PSKNSTR01	Strongman Knee Strap - 8 cm. x 200 cm Elastic - Black/Blue
PSKNSTR02	Strongman Knee Strap - 8 cm. x 250 cm Elastic - Black/Blue

COMING SOON



PSNYKNGD01/2/3

High Compression (6 mm.) Neoprene Knee-gard - Size S/M/L



PSNYKNGD04/05/08

Compression Neoprene (5 mm.) Knee-gard - XS/S/M - Pink




PSNYKNGD09/06/07

Compression Neoprene (5 mm.) Knee-gard - XS/S/M - Blue

PSNYKNGD10/11/12

Compression Neoprene (5 mm.) Knee-gard - XS/S/M - Army Green Camo

PSNYKNGD13/14/15 Compression Neoprene (5 mm.) Knee-gard - XS/S/M - Purple Zebra



WORKOUT GEAR

	and its management of the second s
PSNYPLAT011 4" Man Ergo WOD Belt - S (89 cm.) - Black/Navy Blue	KENIDS'
PSNYPLAT012 4" Man Ergo WOD Belt - M (100 cm.) - Black/Navy Blue	
PSNYPLAT013 6" Man Ergo Weight Lifting Belt - S (89 cm.) - Black	XENINS'
PSNYPLAT014 6" Man Ergo Weight Lifting Belt - M (100 cm.) - Black	
PSNYPLAT015 4" Woman Ergo WOD Belt - XS (80 cm.) - Black/Pink	
PSNYPLAT016 4" Woman Ergo WOD Belt - S (89 cm.) - Black/Pink	KENIDS
REHB7751XS/-/XXL Rehband SBR/Neoprene (5 mm.) Knee-Gard - Size XS/S/M/L/XL/XXL - Grey/Black - Size XS (Knee Circ. 31-33 cm.) - Grey/Black - Size S (Knee Circ. 33-35 cm.) - Grey/Black - Size L (Knee Circ. 35-37 cm.) - Grey/Black - Size L (Knee Circ. 37-40 cm.) - Grey/Black - Size XL (Knee Circ. 40-43 cm.) - Grey/Black - Size XXL (Knee Circ. 43-46 cm.)	
REHB7754XS/-/XXL Rehband SBR/Neoprene (5 mm.) Open Patella Knee-Gard - Size XS/S/M/L/XL/XXL - Grey/Black - Size XS (Knee Circ. 31-33 cm.) - Grey/Black - Size S (Knee Circ. 33-35 cm.) - Grey/Black - Size K (Knee Circ. 35-37 cm.) - Grey/Black - Size L (Knee Circ. 37-40 cm.) - Grey/Black - Size XXL (Knee Circ. 40-43 cm.) - Grey/Black - Size XXL (Knee Circ. 43-46 cm.)	Генван
REHB7710SM-R Rehband SBR/Neoprene (5 mm.) Wrist Support - Grey/Black - Size S/M (Wrist Circ. 14-18 cm.) - Right Hand REHB7710LXL-R Rehband SBR/Neoprene (5 mm.) Wrist Support - Grey/Black - Size L/XL (Wrist Circ. 18-22 cm.) - Right Hand	
REHB7710SM-L Rehband SBR/Neoprene (5 mm.) Wrist Support - Grey/Black - Size S/M (Wrist Circ. 14-18 cm.) - Left Hand	
REHB7710LXL-L Rehband SBR/Neoprene (5 mm.) Wrist Support - Grey/Black - Size L/XL (Wrist Circ. 18-22 cm.) - Left Hand	

WORKOUT GEAR

REHB7720XS/	/-/XXL Rehband SBR/Neoprene (5 mm.) Elbow Sleeve - Size XS/S/M/L/XL/XXL	
- Grey/Black - Si: - Grey/Black - Si: - Grey/Black - Si: - Grey/Black - Si: - Grey/Black - Si:	ze XS (Elbow Circ. 22-24 cm.) ze S (Elbow Circ. 24-26 cm.) ze M (Elbow Circ. 26-28 cm.) ze L (Elbow Circ. 28-30 cm.) ze XL (Elbow Circ. 30-32 cm.)	R
- Grey/Black - Siz	ze XXL (Elbow Circ. 32-34cm.)	
REHB7790S/-	/XXL Rehband SBR/Neoprene (5 mm.) Strongman Knee-Gard - Size S/M/L/XL/XXL	
- Grey/Black - w/ - Grey/Black - w/ - Grey/Black - w/	/velcro straps - Size S (Knee Circ. 33-35 cm.) /velcro straps - Size M (Knee Circ. 35-37 cm.) /velcro straps - Size L (Knee Circ. 37-40 cm.) /velcro straps - Size XL (Knee Circ. 40-43 cm.) /velcro straps - Size XXL (Knee Circ. 43-46 cm.)	C C C C C C C C C C C C C C C C C C C
REHB7782S/-,		
- Grey/Black - w/ - Grey/Black - w/ - Grey/Black - w/	/velcro straps - Size S (Knee Circ. 33-35 cm.) /velcro straps - Size M (Knee Circ. 35-37 cm.) /velcro straps - Size L (Knee Circ. 37-40 cm.) /velcro straps - Size XL (Knee Circ. 40-43 cm.) /velcro straps - Size XL (Knee Circ. 43-46 cm.)	
- Grey/Black - Siz - Grey/Black - Siz	- Size S/M/L/XL ze S (Wrist Circ. 15-16,5 cm.) ze S (Wrist Circ. 16,5-18 cm.) ze L (Wrist Circ. 18-19,5 cm.) ze L (Wrist Circ. 19,5-22 cm.)	
	- Size S/M/L/XL ze S (Wrist Circ. 15-16,5 cm.)	Currentia
- Grey/Black - Siz	ze M (Wrist Circ. 16,5-18 cm.) ze L (Wrist Circ. 18-19,5 cm.) ze XL (Wrist Circ. 19,5-22 cm.)	
ehband® is a reg	gistered trademark owned by and used under license from Rehband Anatomiska AB Corp. (SWEDEN)	
RKR <mark>G</mark> 01	Rock Guards - Leg Protection for Rope Climbing - S/M size - Black	
RKRG02	Rock Guards - Leg Protection for Rope Climbing - L/XL size - Black	
RKR <mark>G</mark> 03	Rock Guards - Leg Protection for Rope Climbing - S/M size - Black Manifesto	

RKRG04 Rock Guards - Leg Protection for Rope Climbing - L/XL size - Black Manifesto

Rock Guards - Leg Protection for Rope Climbing - L/XL size - Lime

EQUIPMENT FOR THE

FIT

TEST

RKRG05 Rock Guards - Leg Protection for Rope Climbing - S/M size - Lime

ROCKTAPE® is Registered Trademark owned by and used under license from Rocktape Inc. - CA (USA)

RKRG06



WORKOUT GEAR

PSMUPGLV01	© Mechanix MAN ORIGINAL VENT - Muscle-Up Tech Gloves - S - Black/Grey	
PSMUPGLV02	Mechanix MAN ORIGINAL VENT - Muscle-Up Tech Gloves - M - Black/Grey	
PSMUPGLV03	Mechanix MAN ORIGINAL VENT - Muscle-Up Tech Gloves - L - Black/Grey	
PSMUPGLV04	Mechanix MAN ORIGINAL VENT - Muscle-Up Tech Gloves - XL - Black/Grey	
PSMUPGLV04	Mechanix MAN ORIGINAL VENT - Muscle-Up Tech Gloves - XL - Black/Grey	

PSMUPGLV05 Mechanix MAN ORIGINAL VENT - Muscle-Up Tech Gloves - XXL - Black/Grey



PSMUPGLV06 Mechanix WOMAN ORIGINAL - Muscle-Up Tech Gloves - M - Pink Camo





 $\textit{Mechanix Wear} \circledast \textit{ is a registered Trademark owned by Mechanix Wear Inc. - CA (USA)}$



RE-HAB AND MOBILITY

ТΜ

RE-HAB AND MOBILITY



XSMUEST11

- Lenght: 100 cm. - Resistance: 1.5 Kg.

Crossover Workout Kit

- XRIG™and RACK option Carabiner Anchoring Tool x2PCs
- 24" Strap anchor w/ring (60 cm.) x2PCs
- Crossover Workout 3 Lbs x 47" XLight Elastic Tube w/handle x2PCs
- Lenght: 120 cm. Resistance: 1.5 Kg.
- Crossover Workout 5 Lbs x 47" Light Elastic Tube w/handle x2PCs - Lenght: 120 cm. - Resistance: 2.5 Kg.
- Crossover Workout 7 Lbs x 47" Medium Elastic Tube w/handle x2PCs

Crossover Workout - 3 Lbs x 47" XLight Elastic Tube

- Lenght: 120 cm. Resistance: 3,5 Kg.
- Crossoverworkout Kit Nylon Carry Bag x1PC





 XSMUEST12
 Crossover Workout - 5 Lbs x 47"
 Light Elastic Tube

 - Lenght: 100 cm. - Resistance: 2.5 Kg.

XSMUEST13 Crossover Workout - 7 Lbs x 47" Medium Elastic Tube - Lenght: 100 cm. - Resistance: 3.5 Kg.

 XSMUEST14
 Crossover Workout - 12 Lbs x 47" Heavy Elastic Tube w/handle

 - Lenght: 115 cm. - Resistance: 5.5 Kg.









RE-HAB AND MOBILITY

RE-HAB AND MOBILITY

XSPTHDRL04	36" High Density Foam Full-round Pilates Roller - (90 cm.)	Construction of the second
LCRBL-ORANGE	Lacrosse Ball - 5 Oz. X 2.54" - Orange (140 gr. x 6,5 cm. dia.)	
LCRBL-BLUE	Lacrosse Ball - 5 Oz. X 2.54" - Blue (140 gr. x 6,5 cm. dia.)	
XSLTLPBD16	9" (23 cm.) Latex Mini Loop Band - Extra Light - Pink - 2" (5 cm.) width x 0.35 mm. thick	
XSLTLPBD17	9" (23 cm.) Latex Mini Loop Band - Light - Light Blue - 2" (5 cm.) width x 0.5 mm. thick	
XSLTLPBD18	9" (23 cm.) Latex Mini Loop Band - Medium - Orange - 2" (5 cm.) width x 0.7 mm. thick	NEWILL'S
XSLTLPBD19	9" (23 cm.) Latex Mini Loop Band - Heavy - Purple - 2" (5 cm.) width x 0.9 mm. thick	XENIDS
XSLTLPBD20	9" (23 cm.) Latex Mini Loop Band - Extra Heavy - Grey - 2" (5 cm.) width x 1.2 mm. thick	XEINID5

XSPTLXFLS01

XSPTLXFLS01 Floss Band 150% - 7' x 2" x 1.2 mm Blac	(208 cm x 5 cm.)
---	------------------



BALANCE AND PROPRIOCETTIVITY

PSWBCBD01	16" Wooden Round Balance Board w/anti-slip surface and adjustable angle - Small (40 cm.)
PSWBCBD02	18" Wooden Round Balance Board w/anti-slip surface - Medium (45 cm.)
PSWBCBD03	20" Wooden Round Balance Board w/anti-slip surface - Large (50 cm.)
PSWBCBD04	20" x 20" Wooden Square Front/Back Balance Board w/anti-slip surface (50 cm. x 50 cm.)
PSWBCBD05	24" x 16" Wooden Square Right & Left Balance Board w/anti-slip surface (60 cm. x 40 cm.)
PSWBCBD06	24" x 16" Wooden Square Back & Forward Balance Board w/anti-slip surface (60 cm. x 40 cm.)



PSWBCBDR01 Balance Board Rack - 4 boards





TRIGGERPOINT[®] PERFORMANCE



TRIGGER POINT®

TPGRDX	TP - Grid-X - Heavy Duty Roll - Spe	cial for Crossfitters (Black/Red)
TPGRDL	TP - Grid Lime	
TPGRDO	TP - Grid Orange	
TPGRDC	TP - Grid Camo	
TPGRDP	TP - Grid Pink	
TPGRDB	TP - Grid Black	
TPGRD20	TP - Grid 2.0 Orange	
TPGRD2B	TP - Grid 2.0 Black	
TPGRDMIO	TP - Grid Mini Orange	



Trigger Point® is a patented design and a register trademark owned by and used under license from Trigger Point Technologies (USA).

*

EQUIPMENT FOR THE FITTEST



109

TRIGGER POINT®



Trigger Point® is a patented design and a register trademark owned by and used under license from Trigger Point Technologies (USA).

ROCK TA	PE®	
RKTP01	Rock Tape Active Recovery - 5 cm. x 5 m Black	
RKTP02	Rock Tape Active Recovery - 5 cm. x 5 m Green	
RKTP03	Rock Tape Active Recovery - 5 cm. x 5 m Electric Blue	
RKTP04	Rock Tape Active Recovery - 5 cm. x 5 m Hot Pink	
RKTP05	Rock Tape Active Recovery - 5 cm. x 5 m Lime Green	
RKTP06	Rock Tape Active Recovery - 5 cm. x 5 m Navy Blue	
RKTP07	Rock Tape Active Recovery - 5 cm. x 5 m Purple	
RKTP08	Rock Tape Active Recovery - 5 cm. x 5 m Black Logo	
RKTP09	Rock Tape Active Recovery - 5 cm. x 5 m Biohazard	
RKTP10	Rock Tape Active Recovery - 5 cm. x 5 m Skull	

ROCKTAPE® is Registered Trademark owned by and used under license from Rocktape Inc. - CA (USA)



PE [®]	
CC Rock Tape Active Recovery - 5 cm. x 5 m Pink Skull	
Rock Tape Active Recovery - 5 cm. x 5 m Blue Argyle	
Rock Tape Active Recovery - 5 cm. x 5 m Pink Argyle	
Rock Tape Active Recovery - 5 cm. x 5 m Brown Camo	
Rock Tape Active Recovery - 5 cm. x 5 m Green Camo	
Rock Tape A <mark>ctive Recovery - 5 cm. x 5 m Digit</mark> al Camo	
Rock Tape A <mark>ctive</mark> Recovery - 5 cm. x 5 m Pink Camo	
Rock Tape Active Recovery - 5 cm. x 5 m Clinical	
Rock Tape Active Recovery - 5 cm. x 5 m Healthsource	
Rock Tape Active Recovery - 5 cm. x 5 m Tatoo	
	Rock Tape Active Recovery - 5 cm. x 5 m Pink Skull Rock Tape Active Recovery - 5 cm. x 5 m Blue Argyle Rock Tape Active Recovery - 5 cm. x 5 m Pink Argyle Rock Tape Active Recovery - 5 cm. x 5 m Brown Camo Rock Tape Active Recovery - 5 cm. x 5 m Brown Camo Rock Tape Active Recovery - 5 cm. x 5 m Brown Camo Rock Tape Active Recovery - 5 cm. x 5 m Digital Camo Rock Tape Active Recovery - 5 cm. x 5 m Digital Camo Rock Tape Active Recovery - 5 cm. x 5 m Digital Camo Rock Tape Active Recovery - 5 cm. x 5 m Digital Camo Rock Tape Active Recovery - 5 cm. x 5 m Digital Camo Rock Tape Active Recovery - 5 cm. x 5 m Digital Camo Rock Tape Active Recovery - 5 cm. x 5 m Digital Camo Rock Tape Active Recovery - 5 cm. x 5 m Digital Camo

ROCKTAPE® is Registered Trademark owned by and used under license from Rocktape Inc. - CA (USA)

EQUIPMENT FOR THE FITTEST

ROCK TAPE	E®		1
RKTP21	CC Rock Tape Active Recovery - 5 cm. x 5 m UK Flag		
RKTPBK01	Rock Tape Active Recovery Bulk 5 cm. x 32 m Black		
RKTPBK02	Rock Tape Active Recovery Bulk 5 cm. x 32 m Green		
RKTPBK03	Rock Tape Active Recovery Bulk 5 cm. x 32 m Electric Blue		
RKTPBK04	Rock Tape Active Recovery Bulk 5 cm. x 32 m Hot Pink		
RKTPBK05	Rock Tape Active Recovery Bulk 5 cm. x 32 m Purple		
RKTPBK06	Rock Tape Active Recovery Bulk 5 cm. x 32 m Lime Green		
RKTPBK07	Rock Tape Active Recovery Bulk 5 cm. x 32 m Navy Blue		
RKTPH2001	Rock Tape Active Recovery H2O (High Resistance) - 5 cm. x 5 m Black		
RKTPH2002	Rock Tape Active Recovery H2O (High Resistance) - 5 cm. x 5 m Electric Blue		

ROCKTAPE® is Registered Trademark owned by and used under license from Rocktape Inc. - CA (USA)



ROCK TAPE	0	
RKTPH2003	CCC Rock Tape Active Recovery H2O (High Resistance) - 5 cm. x 5 m Green	
RKTPH2004	Rock Tape Active Recovery H2O (High Resistance) - 5 cm. x 5 m Biohazard	
RKTPH2005	Rock Tape Active Recovery H2O (High Resistance) - 5 cm. x 5 m Blue Argyle	
RKTPH2006	Rock Tape Active Recovery H2O (High Resistance) - 5 cm. x 5 m Green Camo	
RKTPH2007	Rock Tape Active Recovery H2O (High Resistance) - 5 cm. x 5 m Pink Camo	
RKTPMBD01	Rock Tape Ac <mark>tive Recovery Mini Big-Daddy - 10 cm. x</mark> 5 m Black	
RKTPMBD02	Rock Tape A <mark>ctive R</mark> ecovery Mini Big-Daddy - 10 cm. x 5 m Blue	
RKTPMBD03	Rock Tape Active Recovery Mini Big-Daddy - 10 cm. x 5 m Blue Argyle	
RKSC01	Rock Sauce - Pain Reliever Lotion 100 ml.	
RKSC02	Rock Sauce - Pain Reliever Lotion 200 ml.	ROCK

ROCKTAPE® is Registered Trademark owned by and used under license from Rocktape Inc. - CA (USA)

EQUIPMENT FOR THE FITTEST

ACILITY OUTFITTIN




FACILITY OUTFITTING


WALL OUTFITTING

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	THICK. (mm.)
10 / 22	250	125	15

- Custom logo included

 \triangle Wall mounting hardware not included. \triangle Parallettes and Abdominal Mat are not included.





BANNER01 Banner - Xenios USA The Barbell Club WEIGHT (Kg./Lbs) L (cm.) H (cm.) 300 100

- Color: white

BANNER03 Banner - Xenios USA

WEIGHT (Kg./Lbs)	L (cm.)	s) L (cm.) H (cm.)
-	300	300 100
- Color: navy blue		ıe



BANNER02	Banner -	Xenios USA
WEIGHT (Kg./Lbs)	L (cm.)	H (cm.)
-	300	100
- Color: white		



FACILITY OUTFITTING

WALL OUTFITTING

	wall Ster	icii - Xenio	s USA The E					
WEIGHT (Kg./Lbs)	L (cm.)	H (cm.)						
-	200	200						
STENCILO3 \	Wall Stor	ncil - Yenio	s IISA The F	3arbell Club				
WEIGHT (Kg./Lbs)	L (cm.)	H (cm.)						
-	150	150						
STENCILO5 N	Wall Ster	ncil - Wall I	all Target -	45 cm. dian	n.			
AFBXDSH1.5	Affiliate	e Box Whit		45 cm. dian 5 x 1 m. (L. x		VENI	75	
						XENI	755	

AFBXDSH2.0 Affiliate Box White Dash - 2 x 1 m. (L. x H.)

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)
6/13	200	100
- Color: white		

- Color: white

AFBXDSH3.0 Affiliate Box White Dash - 3 x 1.2 m. (L. x H.)

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)
8/17	300	120
- Color: white		

AFBXDSHSTK01 Printed Custom Logo for White Dash

- Material: PVC - Color: white











I FACILITY OUTFITTING I

STORAGE RKMAT03	Trainir	ng Mats A	Adjustabl
		ig mater	iujuotus.
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
1.5 / 3.3	65	7.6	24
Material: Powder Min./Max. loadab Steel plate thickn	le mats: 1	to 30 (4 mr	n. thickness
RKMAT05			all-Moun
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
6 / 13	65	7	21.5
 Material: Powder Min. / Max. loada Max. load: 50 kg. 	ble mats: 1	to 30 (4 m	nm. thicknes
RKMSVST01			e Rack -
	ומשוע	vens-Bui	npers-Ke
	- Maee	sive Stor	age Rack
			Option -
		•	-
			Option -
	- Stora	age Rack	Option -
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
60 / 132	201	50	123
- Material: Powder	coated ste	el - Color: N	/latte black
RKMSVST02	Double	Massive	e Storage
			npers-Ke
	2 anno	bu	
	- Mass	sive Stor	age Rack
			Option -
			Option -
			Option -
	0.010	igo nuon	option
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
110 / 242.5	356	50	123
- Material: Powder	coated ste	el - Color [.] N	Aatte black
Matorial. 1 OWDEI	550100 515	0. 00001.1	

6 KG

6KG

FACILITY OUTFITTING

STORAGE

RKMSVST03 Massive Storag Dumbbells-Frac

Massive Storage Rack - Multistorage Unit for: Dumbbells-Fractional Plates-Loop Bands

- Massive Storage Rack Side Upright w/wheels x2PCs
- Massive Storage Rack Dumbbells Tier x3PCs
- Storage Rack Option Side Fractional Plates Sleeve x3PCs
- Storage Rack Option Side Loop Bands Hook x1PC

WEIGHT (Kg./Lbs)	W (cm.)	H (cm.)					
55 / 121 201 50 123							
- Material: Powder coated steel - Color: Matte black							



RKMSVST04 Massive Storage Rack - Multistorage Unit for: Kettlebells-Fractional Plates-Loop Bands

- Massive Storage Rack Side Upright w/wheels x2PCs
- Massive Storage Rack Kettlebells Tier x3PCs
- Storage Rack Option Side Fractional Plates Sleeve x3PCs
- Storage Rack Option Side Loop Bands Hook x1PC

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)				
75 / 165 201 50 123							
- Material: Powder of	coated stee	el - Color: N	/latte black				



RKMSVST05

Massive Storage Rack - Multistorage Unit for: Wallballs-Fractional Plates-Loop Bands

- Massive Storage Rack Side Upright w/wheels x2PCs
- Massive Storage Rack WallBalls Tier x2PCs
- Massive Storage Rack Bumpers and WallBalls Tier x1PC
- Storage Rack Option Side Fractional Plates Sleeve x3PCs
- Storage Rack Option Side Loop Bands Hook x1PC

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)		
50 / 110	201	50	123		
- Material: Powder coated steel - Color: Matte black					



FACILITY OUTFITTING

STORAGE

KMSVSTX01	Massi	ve Stora	ge Rack	- Dumbbells Ti
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)	
14 / 31	152.5	26	14	
Material: Powder	coated stee	el - Color: N	Aatte black	

RKMSVSTX02 Massive Storage Rack - Kettlebells Tier

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)			
27 / 60	152.5	40	40 21			
Material Develop			A - ++ - - -			

- Material: Powder coated steel - Color: Matte black

RKMSVSTX03 Massive Storage Rack - WallBalls Tier

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)			
11 / 24 152.5 26 16						
- Material: Powder of	coated stee	el - Color: N	/latte black			

RKMSVSTX04 Massive Storage Rack - Bumpers and WallBalls Tier

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)			
10 / 22	150	22	5			
- Material: Powder of	coated stee	el - Color: N	/latte black			

RKMSVSTX05 Massive Storage Rack - Side Upright w/wheels

12 / 26.5 104 50 7.5	WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)			
	12 / 26.5	6.5 104 50					

- Material: Powder coated steel - Color: Matte black

RKMSVSTX08	Storag	je Rack	Option -
WEIGHT (Kg./Lbs	s) L (cm.)	W (cm.)	H (cm.)
2 / 4.4	21	20	7
- Material: Powde	er coated stee	el - Color: I	Matte black
RKMSVSTX07	Storag	e Rack	Option -
WEIGHT (Kg./Lbs	s) L (cm.)	W (cm.)	H (cm.)
2 / 4.4	20	7	15
- Material: Powde	er coated stee	el - Color: I	Matte black
RKMSVSTX08	Storag	e Rack	Option -
			-
WEIGHT (Kg./Lbs	s) L (cm.)	W (cm.)	H (cm.)
1.3 / 2.8	28	5	30

- Material: Powder coated steel - Color: Matte black





WE REALLY CONCERN ABOUT SAFETY

The XRIG[™] series was born to provide a never-ending range of items thought to build-up any kind of Crossfit[®] station. Besides all the pre-set configurations drawn by our R&D Dept., customers could be able to choose among dozens of parts and options so to really have their own station. When a customer gets in touch with our sales team and he needs to be assisted with the drawing of his own station, our XRIG[™] team of product's designers draw the station according to customer's needs and provide to him the final 3D drawing with all the main specs and sizes. This process helps the customers to have either a bespoke product and a safe station, cause any customer's sketch, is first switched in to a 3D drawing and then checked by the product designers also for what concern the safety and the stability of all the parts once bolted together.

Thanks to our in-house tech department, all needs can be matched: custom sizes, custom colors etc..




TUV-SUD: most of our products (such as benches, racks, Crossfit[®] stations etc..) are tested and certified by the TUV-SUD[®], that is one of the worldwide most affordable product testing company. All products are tested in order to comply with the latest products safety regulations (E.G. in Europe the EN-ISO 20957-1, EN-ISO 957-2 and EN-ISO 957-4)*. All along the catalogue we have mentioned which products are tested according to TUV-SUD[®] safety specs.

We furthermore care about the safety of the electronic products we carry. Either for the Xenios USA[®] items and for any third-brand product, we make sure they feature all needed certification, such as, for example, the CE and the ROHS ones*

In order to make really reliable products, we also concern about safety and quality certifications of raw materials (such as, for example, the steel tubes used to make the whole XRIG[™] range of items), painting and coating materials and processes, hardware, welding process and welder's certified skills. A product making process involve dozens of matters, from raw materials selection up to the packaging of the finished goods, and our R&D and Product Team is just formed by experienced technicians and engineers that can let us be proud to label a workout tool with our logo.

*Some of the mentioned products' safety regulations and/or safety marks may not be valid for some Countries.



STEEL TUBES All XRIGTM parts are made by using stiff steel tubes so to really be ready to bear severe workouts made by several athletes at a time. The steel used to make the tubes is just the S235J steel (UNI-EN 10219-2 compliance^{*}), one of the strongest on the market. All square tubes are 6x6 cm. sized and 3.5 mm. thickness (11+ gauges), while all the round tubes are 32 mm. diameter by 4 mm. thickness. All main steel parts are bolted together just by using M16 bolts, coupled with M16 self-locking nuts: up to 300 Nm in tightening strength. All bolts feature safety pvc end-caps so to avoid any chance of injury with the offset of the same bolts out of the nuts after being tightened. All hardware is zinc plated so to be rust-proof.



WELDING All steel parts are welded just by robot and robots are managed just by skilled certified workers, so to have a consistent welding line all-around the tubes' junctions. Moreover, all holes for bolts and for snap-in / snap-off options are drilled by laser so to be really accurate in diameter and position.



COATING The standard color of the whole XRIG[™] range is the special Xenios USA[®] XRIG[™] Black powder coating. After several tests on the mix of the powder and the coating/drying process, we have found the way to have an high-bonding ratio kind of coating that features a special texture on its surface (once dried), so to provide the right grip for harmless and firmly Muscle-Ups. The special Xenios USA[®] powder coating is furthermore made by adding to the formula a slightly percentage of wax that makes the coating almost scratch-proof. All steel parts are not less than 60 micron coated. Wherever there are bare steel components (such as pins, poles, or junctions), we protect them just by using the industrial

galvanizing process called Hard Chrome.

CrossFit[®] is a registered trademark of Crossfit Inc.(USA). The Xenios USA company and registered trademarks are not affiliated and/or associated with and/or endorsed and/or sponsored by Crossfit Inc. The Xenios USA products and services are not endorsed, tested, sponsored by and/or associated with Crossfit Inc. and/or with any of the registered trademarks, products and services of Crossfit Inc.



The XRIG[™] series can be also manufactured following the really heavy duty features of the MAGNUM[™] range of products. Thought for those who really need to face severe workout, the MAGNUM[™] series is a kind of tank-like range of products that can be never-ending overloaded.

At Xenios USA[®] we have thought to the best way to let some products be also manufactured following a kind of next-level bill of specifications. There are some workout tools, such as the Squat Stand, or the Yoke and Sled, or the Utility Flat Bench, or many parts and pre-set configurations of the XRIG[™] series, that may be employed to bear tough workouts or quite heavy body-weights, such as the ones of the Strongmen. Due to those reasons, all mentioned items have been also drawn bigger and stronger: they have been drawn in order to comply with the serious overloading tests performed on to all the products that aim to belong to the MAGNUM[™] series. All products made to belong to the MAGNUM[™] series are made with an industrial grade of steel tubes. All square

steel tubes are bigger in size - switched from the standard 6x6 cm. to the oversized 8x8 cm. - and in thickness – switched from the standard 10 Gauge (3 mm.) or 11 Gauge (3.5 mm) to the oversized 8 Gauge (4.2 mm.).

All MAGNUM[™] series products are welded by using a special certified kind of welding-robots, commonly involved with the construction of industrial machines like big cranes.

All Steel plates and sheets used to manufacture the MAGNUMTM products are thicker than the standard ones. Furthermore, the MAGNUMTM products are tested in order to bear heavier weights: three times higher than their "younger" brothers. E.G.: a Magnum Squat Stand is tested to bear up to 1500 Kg. so we can say it is almost unbreakable.

Xenios USA® Xenios USA[®] ACCURATE LASER CUT 60x60x3,5 mm HOLES POWDER COATED STEEL TUBES ACCURATE \bigcirc . 80x80x4.2 mm LASER CUT (8 GAUGE) D HOLES POWDER COATED STEEL TUBES (IA 1" (2.5 cm.) M16)HARD CHROME 1" (2.5 cm) M16 ZINC PLATED HARD CHROME b)STEEL PINS ZINC PLATED HARDWARE STEEL PINS HARDWARE 0 0 6 mm. 8 mm. THICK STEEL THICK STEEL ATTACHMENT ATTACHMENT

All MAGNUMTM products parts are made by using industrial grade steel tubes so to really be ready to bear "oversized" workouts. The steel used to make the MAGNUM tubes is normally employed in industrial machine constructions, such as the building cranes. All square tubes are 8x8 cm. sized and 4.2 mm. thickness (8 Gauges), while all the round tubes are 32 mm. diameter by 4 mm. thickness. All steel plates and brackets are made using no-lower than 8 mm. thickness steel sheets. All main steel parts are bolted together just by using M16 bolts, coupled with M16 self-locking nuts: up to 300 Nm in tightening strength. All bolts feature safety pvc end-caps so to avoid any chance of injury with the offset of the same bolts out of the nuts after being tightened. All hardware is zinc plated so to be rust-proof.



AVAILABLE ON DEMAND

OUTDOOR Once we have started to develop our XRIG[™] range of products, our R&D team has also thought to those who need to set a station up, out of the door of their Box and, even worse, without sheltering it. So, that is one of the reason cause we are one of the few makers on the market to be able to provide all the XRIG[™] parts made with a special treatment for elements protection. When an XRIG[™] station is made to be outdoor installed, all steel components are first zinc-plated (our zinc-plating process are all certified in accordance with the UNI-EN ISO 1461:2009 regulation*) and then powder coated with an upgraded kind of powder coating. This special process, along with special water-draining holes drilled on to the main Uprights of the station, makes it totally rust-proof and so ready to bear the elements' power. **



CUSTOM COLORS Even though the standard color of the XRIG[™] parts is the above mentioned Xenios USA[®] XRIG[™] Black one, customers can have the chance to choose their own color for the whole station or even for some of the parts it is made of (such as, for example, the uprights). All available colors feature the same specs of the standard XRIG[™] Black of Xenios USA[®], especially for what concern the unique light-textured surface that gives to the pull-up bars the perfect grip for the muscle-ups. **

TEXTURED SURFACE COLORS



CUSTOM Since we are the original maker of the XRIG[™] range and since we think customers' needs can't really be all foreseen in advance, an XRIG[™] station can be also drawn with totally bespoke parts. Should you need, for example, taller uprights or shorter pull-up bars, or anything "crazy" you may have invented, at Xenios USA[®] we will match your requirements by even drawing from the scratches your unique parts. **

XRIGTM**WARRANTY**



All XRIG[™] steel parts in case of steel breakages and/or welding breakages.



All Outdoor Proof XRIG[™] steel parts in case of rust-spots arising from coating and in case of steel corrosionperforation.




All XRIG[™] steel parts in case of rust-spots arising from coating. All XRIG[™] Hardware and other components.

Warranty will void in case of outdoor use, unless the XRIG[™] items were made with the special Xenios USA[®] "Outdoor Proof Treatment". Warranty against rust never covers rust rising on scratched and/or worn-by-the-use and/or speal-made parts steel areas. Bear steel due to scratches and/or dents can get rust unless not coated and/or retouched again. For any further about Xenios USA[®] products' warranty, please refer to the Xenios USA[®] Warranty Chart, available at www.xeniosusa.com

**Attention: CUSTOM COLOR, CUSTOM SIZES and OUTDOOR PROOF are priced options. Ask to the Xenios USA® Team to learn more about them.




XRIG[™] STATIONS




ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.





XRIG[™] STATIONS

RKXFIT02° XRIG™ - RACK 4'x 6' x 9' - w/English Ladder - w/Bar J-Rack




XRIG[™] configurations come disassembled.

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.

XRIG[™] STATIONS

RKXFIT03* XRIG™ - RIG 6'x 6' x 9' - Wall mounted - w/English Ladder

- XRIGTM 9' Basic Upright (270 cm.)x2PCs
- XRIG[™] 6' English Ladder Bar (168 cm.)x2PCs
- XRIG[™] 6' English Ladder Side-Bar (168 cm.)x2PCs
- XRIG[™] 6' Basic Pull-Up frame (168 cm.)x1PC




- Material: Powder coated steel - Color: Matte black

- Steel tubes size: 60x60x3.5 mm. + 32x4 mm. round tubes
- * Above configuration is also available w/o English Ladder on top.
- *1 English Ladder Bars can be also side-bolted to form a vertical plyo-ladder
- ²e² Pull-Up heights: 6'10"-7'6"-8'3" (only w/12' Uprights)
 ²Can be switched with: Double Cross Member (VSFXFIT22/23)/Muscle-Up (VSFXFIT28/21/36/37) /Offset Pull-Up Frame (VSAXFIT01/06)/Offset Pull-Up Bar (VSAXFIT35/36)
 ²Pull-Up heights: 8'74"-6'10"
- *3 The English Ladder Side Bar can be bolted at 8.74' (265 cm.) or 6'10" (207 cm.) off the ground.


XRIG[™] configurations come disassembled.

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.





XRIG[™] STATIONS



ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.

XRIG[™] STATIONS





XRIG[™] STATIONS

RKXFIT06^{*} XRIG[™] - RIG + RACK 10'x 6' x 9' - Wall mounted - w/English Ladder - w/Bar J-Rack

- XRIG[™] 9' Basic Upright (270 cm.)x3PCs
- XRIG[™] 6' English Ladder Bar (168 cm.)x3PCs
- XRIG[™] 6' English Ladder Side-Bar (168 cm.)x3PCs
- XRIG[™] 6' Basic Pull-Up frame (168 cm.)x1PC
- XRIG[™] 4' Basic Pull-Up frame (108 cm.)x1PC
- XRIG[™] Bar J-Rack x2PCs

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)							
- Material: Powder coated steel - Color: Matte black - Steel tubes size: 60x60x3.5 mm. + 32x4 mm. round tubes.									

- * Above configuration is also available w/o English Ladder on top.
- *1 English Ladder Bars can be also side-bolted to form a vertical plyo-ladder
- Pull-Up heights: 6'10"-7'6"-8'3" (only w/12 Uprights)
 Can be switched with: Double Cross Member (VSFXFIT22/23)/Muscle-Up (VSFXFIT28/21/36/37) /Offset Pull-Up Frame (VSAXFIT01/06)/Offset Pull-Up Bar (VSAXFIT35/36) Pull-Up heights: 8'74"-6'10"
- ⁴⁵ The English Ladder Side Bar can be bolted at 8.74' (265 cm.) or 6'10" (207 cm.) off the ground.

XRIG[™] configurations come disassembled.


ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.



XRIG[™] STATIONS


- XI	RIG™ - 9' RIG™ - 4	ompact R ' Basic Up I' Compac ' Basic Pu	oright (27 :t Pull-Up	0 cm.)) Bar (1	x2PCs 114 cm.)	x2PCs		
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)	x4	\mathbf{V}		A .	
72 / 159	180	120	270	प	×2	$\overline{\mathcal{V}}$		
- Material: Powder coa - Steel tubes size: 60x				es.				
* Above configuration i	s also availa	able w/o Eng	lish Ladder	on top.				
 *2 - Pull-Up heights: 6 Can be switched v /Offset Pull-Up Fra Pull-Up heights: 8 *3 The English Ladder 	vith: Double ame (VSAXF '74"-6'10"	Cross Mem IT01/06)/Ofi	ber (VSFXF) fset Pull-Up	ÍT22/23, Bar (VS	AXFIT35/3	6)	,	
XRIG [™] configurations of	come disass	embled.						_

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.





XRIG[™] STATIONS



TO CUSTOMER'S REQUIREMENTS.

XRIG[™] STATIONS




- XRIG[™] 6' Basic Pull-Up frame (168 cm.)x1PC
- XRIG[™] 4' Basic Pull-Up frame (108 cm.)x1PC
- XRIG[™] Bar J-Rack x2PCs




- Steel tubes size: 60x60x3.5 mm. + 32x4 mm. round tubes.
- * Above configuration is also available w/o English Ladder on top.
- * Pull-Up heights: 6'10"-7'6"-8'3" (only w/12' Uprights)
 Can be switched with: Double Cross Member (VSFXFIT22/23)/Muscle-Up (VSFXFIT28/21/36/37) /Offset Pull-Up Frame (VSAXFIT01/06)/Offset Pull-Up Bar (VSAXFIT35/36)
 Pull-Up heights: 8'74"-6'10"
 *6 The English Ladder Side Bar can be bolted at 8.74' (265 cm.) or 6'10" (207 cm.) off the ground.

XRIG[™] configurations come disassembled.

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.







XRIG[™] STATIONS

RKXFIT10^{*} XRIG[™] - War Path 3xRIG 26'x 6' x 9' - w/English Ladder


- XRIG[™] 9' Basic Upright (270 cm.)x8PCs - XRIG[™] - 12' Basic Upright (360 cm.)x4PCs
- XRIG[™] 6' Basic Pull-Up frame (168 cm.)x6PCs
- XRIG[™] 6' English Ladder Bar (168 cm.)x15PCs
- XRIG[™] 6' English Ladder Side-Bar (168 cm.)x6PCs
- XRIG[™] 6' Junction Bar (168 cm.)x2PCs
- XRIG[™] 6' Offset Wing Ladder (168 cm.)x2PCs
- XRIG[™] -Wing Ladder reverse connection x4PCs

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)		
640 / 1411	780	180	360		
- Material: Powder coated steel - Color: Matte black					

- Steel tubes size: 60x60x3.5 mm. + 32x4 mm. round tubes.
- * Above configuration is also available w/o English Ladder on top.
- *1 English ladder bars can be also side-bolted to form a vertical plyo-ladder
 *2 Pull-Up heights: 6'10"-7'6"-8'3" (only w/12' Uprights)
 Can be switched with: Double Cross Member (VSFXFT22/23)/Muscle-Up (VSFXFT28/21/36/37) /Offset Pull-Up Frame (VSAXFIT01/06)/Offset Pull-Up Bar (VSAXFIT35/36)
 Pull-Up heights: 8'74"-6'10"
 *3 The English Ladder Side Bar can be holted at 8'74' (26E cm) or 6'10" (007 cm) off the crowed of the

*3 The English Ladder Side Bar can be bolted at 8.74' (265 cm.) or 6'10" (207 cm.) off the ground. XRIG[™] configurations come disassembled.

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.



XRIG[™] STATIONS

RKXFIT12* XRIG™ - RIG + 2xRACK 14'x6'x9' - Wall mounted - w/Bar J-Rack - w/o English Ladder


- XRIG[™] 9' Basic Upright (270 cm.)x4PCs
- XRIG[™] 6' English Ladder Side-Bar (180 cm.)x4PCs
- XRIG[™] Bar J-Rack x4PCs
- XRIG[™] 6' Basic Pull-Up frame (168 cm.)x1PC
- XRIG[™] 4' Basic Pull-Up frame (108 cm.)x2PCs

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)			
173 / 381	420	180	270			
- Material: Powder coated steel - Color: Matte black						


- Steel tubes size: 60x60x3.5 mm. + 32x4 mm. round tubes
- * Above configuration is also available w/o English Ladder on top.
- *2 Pull-Up heights: 6'10"-7'6"-8'3" (only w/12' Uprights) Can be switched with: Double Cross Member (VSFXFIT22/23)/Muscle-Up (VSFXFIT28/21/36/37) /Offset Pull-Up Frame (VSAXFIT01/06)/Offset Pull-Up Bar (VSAXFIT35/36) Pull-Up heights: 8'74"-6'10"
- * The English Ladder Side Bar can be bolted at 8.74' (265 cm.) or 6'10" (207 cm.) off the ground. XRIG[™] configurations come disassembled.

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.

9' (270 cm.) 180 cm.) 20' (600 cm.)



XRIG[™] STATIONS



XRIG[™] configurations come disassembled.

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.




RIG™ STATIONS



RKXFIT14* XRIG[™] - 2xRIG + 2xRACK 20'x6'x9' - Wall mounted


- w/Bar J-Rack w/o English Ladder
- XRIG[™] 9' Basic Upright (270 cm.)x5PCs
- XRIG[™] 6' English Ladder Side-Bar (180 cm.)x5PCs
- XRIG[™] Bar J-Rack x4PCs
- XRIG[™] 6' Basic Pull-Up frame (168 cm.)x2PCs
- XRIG[™] 4' Basic Pull-Up frame (108 cm.)x2PCs

WEIGHT (Kg./Lbs) L (cm.) W (cm.) H (cm.) x 16



- Steel tubes size: 60x60x3.5 mm. + 32x4 mm. round tubes.
- * Above configuration is also available w/o English Ladder on top.
- *2 Pull-Up heights: 6'10"-7'6"-8'3" (only w/12' Uprights) Can be switched with: Double Cross Member (VSFXFIT22/23)/Muscle-Up (VSFXFIT28/21/36/37) /Offset Pull-Up Frame (VSAXFIT01/06)/Offset Pull-Up Bar (VSAXFIT35/36) Pull-Up heights: 8'74"-6'10"
- *3 The English Ladder Side Bar can be bolted at 8.74' (265 cm.) or 6'10" (207 cm.) off the ground.
- XRIG[™] configurations come disassembled.

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP **TO CUSTOMER'S REQUIREMENTS.**






XRIG[™] STATIONS

RKXFIT15	- W - XF - XF - XF - XF	XRIG TM - 2xRIG + 3xRACK 24'x6'x9' - w/Bar J-Rack - w/o English Ladder - XRIG TM - 9' Basic Upright (270 cm.)x12PCs - XRIG TM - 6' English Ladder Side-Bar (180 cm.)x6PCs - XRIG TM - 6' Basic Pull-Up frame (168 cm.) x4PCs - XRIG TM - 4' Basic Pull-Up frame (108 cm.)x6PCs					
WEIGHT (Kg./Lbs) L (cm.) W (cm.) H (cm.) x26				x 26			
481 / 488	:	720	180	270	X6 X6 X6 X6 X6		
Material: Powder coated steel - Color: Matte black Steel tubes size: 60x60x3.5 mm. + 32x4 mm. round tubes.							
* Above configuration is also available w/o English Ladder on top.							
*2 - Pull-Up heights: 6'10"-7'6"-8'3" (only w/12' Uprights) - Can be switched with: Double Cross Member (VSFXFIT22/23)/Muscle-Up (VSFXFIT28/21/36/37) //Offset Pull-Up Frame (VSAXFIT01/06)/Offset Pull-Up Bar (VSAXFIT35/36) - Pull-Un beinter: 8'72'-6'10"							


 Pull-Up heights: 8'74'-6'10'
 * The English Ladder Side Bar can be bolted at 8.74' (265 cm.) or 6'10'' (207 cm.) off the ground. XRIG[™] configurations come disassembled.

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.






. 0





Cage inner length



MAGNUM SERIES - XRIG[™] STATIONS

- **RKXFIT17MS** MAGNUM SERIES - XRIG[™] - Big Boy Rack 4'x 6' x 9' - w/Power Lifting Cage
 - MAGNUM SERIES XRIG™ 9' Basic Upright (270 cm.) 3.15" x 3.15" x 8 Gauge (8 x 8 cm. x 4 mm.) Oversize Steel Tube - x6PCs
 - XRIG™ 4' Basic Pull-Up frame (104 cm.) M.S. (to be used with Magnum Series Rack)x2PCs
 - XRIG[™] Power Bands Pegs Cross Member (to be used with Power Lifting Cage)x4PCs
 - XRIG™ Back Cross Member MS (to be used with RKXFIT17MS BIG BOY ™ **POWER LIFTING CAGE)x2PCs**
 - XRIG™ Plates Sleeve M.S. (to be used with Magnum Series Uprights)x6PCs
 - MAGNUM SERIES XRIG™ Safety Strap Anchoring Tool 8 Gauge (4 mm. steel thickness)x2PCs
 - XRIG™ 2"x55" Nylon Safety Strap w/HD Carabiner (Max.Load 1200 Kg.) (for XRIG POWER LIFTING CAGE)x2PCs
 - MAGNUM SERIES XRIG™ Safety Spotter Arm 8 Gauge (4 mm. steel thickness)x2PCs
 - MAGNUM SERIES XRIG™ Bar J-Rack 8 Gauge (4 mm. steel thickness)x4PCs

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)	
241 / 531	122	182	270	

- Material: Powder coated steel - Color: Matte black

- Steel tubes size: 80x80x4 mm. + 32x4 mm. round tubes

A Should you got an XFIT Rack already, it can be upgraded to the Powerlifting Cage by using the "Powerlifting Cage-rack upgrade kit (VSFXFIT17)".

- *2 Pull-Up heights: 6'10"-7'6"-8'3" (only w/12' Uprights)
 Can be switched with: Double Cross Member (VSFXFIT22/23)/Muscle-Up (VSFXFIT28/21/36/37)
 /Offset Pull-Up Frame (VSAXFIT01/06)/Offset Pull-Up Bar (VSAXFIT35/36)
 Pull-Up heights: 8'74"-6'10"

XRIG[™] configurations come disassembled.

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO **CUSTOMER'S REQUIREMENTS.**

XRIG [™] ST/	ATI	ONS	
-----------------------	-----	-----	--

RKXFIT18 XRIG[™] - RACK 4'x6'x9' - Wall Mounted - w/Power Lifting Cage

- XRIG[™] 9' Basic Upright (270 cm.)x4PCs
- XRIG[™] 4' Basic Pull-Up frame (108 cm.)x1PC
- XRIG[™] Power Bands Pegs Cross Member (To be used with
- Power Lifting Cage)x4PCs
- XRIG[™] Back Cross Member (to be used with Power Lifting
- Cage)x2PCs
- XRIG[™] Plates Sleeve x6PCs
- XRIG™ 2"x55" Nylon Safety Strap w/HD Carabiner (Max.Load 1200 Kg.) (to be used with Power Lifting Cage)x2PCs
- XRIG[™] Safety Strap Anchoring Tool (to be used with Power Lifting Cage)x4PCs
- XRIG[™] Safety Spotter Arm x2PCs
- XRIG[™] Bar J-Rack x4PCs

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)	
188 / 414	120	180	270	

- Material: Powder coated steel - Color: Matte black - Steel tubes size: 60x60x3.5 mm. + 32x4 mm. round tubes

using the "Powerlifting Cage-rack upgrade kit (VSFXFIT17)".

*2 - Pull-Up heights: 6'10"-7'6"-8'3" (only w/12' Uprights) - Can be switched with: Double Cross Member (VSFXFIT22/23)/Muscle-Up (VSFXFIT28/21/36/37)

/Offset Pull-Up Frame (VSAXFIT01/06)/Offset Pull-Up Bar (VSAXFIT35/36) - Pull-Up heights: 8'74"-6'10"


XRIG[™] configurations come disassembled.

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO **CUSTOMER'S REQUIREMENTS.**






XRIG[™] STATIONS



ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.




XRIG[™] STATIONS



ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.




XRIG[™] STATIONS



XRIG[™] configurations come disassembled.

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.





KRIG™ STATIONS |

XRIG[™] STATIONS

RKXFIT22 XRIG[™] - CONTEST RIG - 10 ATHLETES x 5 SPECIALTIES

- XRIG[™] 9' Basic Upright (270 cm.)x11PCs
- XRIG[™] 12' Basic Upright (360 cm.)x22PCs
- XRIG[™] 6' Xenios USA Laser Cut Logo Panel (168 cm.)x5PCs
- XRIG[™] 6' Base Crossmember (180 cm.)x16PCs
- XRIG[™]- 4' English Ladder Bar (108 cm.)x11PCs
- XRIG[™] 6' Junction Bar (168 cm.)x41PCs
- XRIG[™] 4' Junction Bar (108 cm.)x11PCs
- XRIG[™] Basic Upright Extension kit + 52.7" (134 cm.)x6KIT
- 1.5" x 20' Natural Fiber Climbing Rope 38 mm. x 6 m. (rope eyelet included)x10PCs
- XRIG[™] HandStand Board Kit x10KIT
- XRIG[™] Athlete Lane Marker Dish (w/magnets)x10PCs
- XRIG[™] Junction Bar Anchoring Tool for Rings and Rope
- w/carabiner and swivels x25BOX
- 1.25" Gymnastic Wood Ring (32mm.) grip 300 Kg. Tested x20BOX
- 16.4' Heavy duty Strap Anchor w/cam-buckle (5 m.)x10BOX
- 6' Competiton Strap for Gymnastic Rings w/carabiners -(185 cm.)x10BOX
- XRIG[™] 6' Offset Pull-Up Bar (168 cm.)x20PCs
- XRIG[™] Offset Double Wall Ball Target x5PCs

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)		
837.5 / 1846	1140	342	500		
Mate 24 Decide and a late 1. Only Matter Material					


- Material: Powder coated steel - Color: Matte black - Steel tubes size: 60x60x3.5 mm. + 32x4 mm. round tubes.

*2 - Pull-Up heights: 6'10"-7'6"-8'3" (only w/12' Uprights) - Can be switched with: Double Cross Member (VSFXFIT22/23)/Muscle-Up (VSFXFIT28/21/36/37) /Offset Pull-Up Frame (VSAXFIT01/06)/Offset Pull-Up Bar (VŚAXFIT35/36) - Pull-Up heights: 8'74"-6'10"


Configuration for 10 athletes. The here in represented stands for 1 athlete only.

XRIG[™] configurations come disassembled.

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.








- ANY GYM RINGS WOD - CLIMBING ROPE WOD


XRIG[™] STATIONS

RKXFIT23 XRIG[™] - CALISTHENICS PLAYGROUND

458 / 1009	477	351	270				
- Material: Powder coated steel - Color: Matte black - Steel tubes size: 60x60x3.5 mm. + 32x4 mm. round tubes.							
XRIG [™] configurations come disassembled.							

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.








XRIG[™] STATIONS

RKXFIT24 XRIG[™] - CALISTHENICS PLAYGROUND ADVANCED






XRIG™ STATIONS

XRIG[™] STATIONS


RKXFIT25 XRIG[™] - STREET WORKOUT CAGE



13'11" (424,5 cm.)



XRIG[™] STATIONS






17'7" (537 cm.)


XRIG™ STATIONS

XRIG[™] STATIONS

RKXFIT27 XRIG™ - STREET WORKOUT & POWER LIFTING CAGE



ALL XRIGTM PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.





XRIG[™] STATIONS

XRIG[™] STATIONS

RKXFIT28 XRIG[™] - STREET WORKOUT PRO CAGE

- XRIG™ 9' Basic Upright (270 cm.)x9PCs
- XRIG[™] 12' Basic Upright (360 cm.)x2PCs
- XRIG™ 6' Muscle-Up Bar (168 cm.)x5PCs
- XRIG™ 6' English Ladder Bar (168 cm.)x10PCs
- XRIG[™] 6' Basic Pull-Up frame (168 cm.)x2PCs
- XRIG[™] 6' Junction Bar (168 cm.)x7PCs
- XRIG™ Offset Gym Rings Station x1PCs
- XRIGTM XRIGTM Junction Bar Anchoring Tool for Rings and Rope w/carabiners and swivel - x4PCs
- XRIG™ 6' Offset Wing Ladder 4 steps (180 cm.) x1KIT
- XRIG™ Offset Calisthenics Parallel Bars Attachment Rig
- Front mounted Double Dip x2KIT
- XRIG™ 6' Offset Pull-Up Bar (137 cm.)x2PCs
- XRIG[™] Plates Sleeve x8PCs
- -XRIG™ Dip Horns x1PC
- XRIG™ Step-Up Platform x1PC
- XRIG™ 5" Strongmen Pull-Up Marble (13 cm.)x4PCs
- XRIG™ 3" Strongmen Pull-Up Marble (8 cm.)x4PCs
- XRIG™ Front-grip Pull-up Handle x2PCs
- Gymnastic-1.25 Wood Ring 1.25" (32mm. grip) thick 300 Kg. Tested x2PAIR
- 16.4' Heavy duty Strap Anchor w/cam-buckle (500 cm.)x2PAIR


 WEIGHT (Kg./Lbs)
 L (cm.)
 W (cm.)
 H (cm.)
 x 12

 588 / 1296
 1296
 363
 366

 - Material: Powder coated steel - Color: Matte black
 - Steel tubes size: 60x60x3.5 mm. + 32x4 mm. round tubes.

XRIG[™] configurations come disassembled.


ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.






XRIG[™] STATIONS

XRIG[™] STATIONS



XRIG[™] configurations come disassembled.

ALL XRIG™ PRE-SET CONFIGS CAN BE FULLY CUSTOMIZED OR UPGRADED UP TO CUSTOMER'S REQUIREMENTS.





XRIG[™] - PARTS AND OPTIONS



- XRIG[™] Safety Spotter Arm x2PCs
- XRIG[™] Bar J-Rack x2PCs
- WEIGHT (Kg./Lbs) L (cm.) W (cm.) H (cm.) x 29 127 / 280 120 120 270

- Material: Powder coated steel - Color: Matte black

- Steel tubes size: 60x60x3.5 mm. + 32x4 mm. round tubes.





VSFXFIT03 XRIG[™] - 9' Basic Upright

	WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)		
	40 / 88	15	15	270		
- Material: Powder coated steel - Color: Matte black						

- Steel tubes size: 60x60x3.5 mm. - Base: 15x15x1 cm.

- Come either as a pair or as a pc, according to customers' needs.



h			

9' (270 cm.)

MAGNUM"

VSFXFIT03MS MAGNUM SERIES - XRIG™ - 9' Basic Upright (270 cm.) - 3.15" x 3.15" x 8 Gauge (8 x 8 cm. x 4 mm.) Oversize Steel Tube

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
50 / 110	30	30	271
Material: Powder coa Steel tubes size: 80x			







VSFXFIT16 XRIG[™] - 12' Basic Upright

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
50 / 110	15	15	366


1	- Material: Powder coated steel - Color: Matte black
	- Steel tubes size: 60x60x3.5 mm Base: 15x15x1 cm.
	Como aither on a pair or on a posserding to quotomore' poods

- Come either as a pair or as a pc, according to customers' needs.



.................

12' (360 cm.)



VSFXFIT35 XRIG[™] - Basic Upright Extension kit +52.7" (134 cm.)

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
18 / 39	134	30	271

- Material: Powder coated steel - Color: Matte black - Steel tubes size: 60x60x3 mm. - Base: 15x15x1 cm.

- Come either as a pair or as a pc, according to customers' needs.



MAGNUM

 VSFXFIT35MS
 MAGNUM SERIES - XRIG™ - Basic Upright Extension kit +52.7" (134 cm.)

 - 3.15" x 3.15" x 8 Gauge (8 x 8 cm. x 4 mm.) Oversize Steel Tube

 WEIGHT (Kg./Lbs)
 L (cm.)
 W (cm.)
 H (cm.)

 22 / 48
 134

 • Material: Powder coated steel - Color: Matte black - Steel tubes size: 80x80x4 mm. - Base: 15x15x1 cm.

- Come either as a pair or as a pc, according to customers' needs.






XRIG[™] - PARTS AND OPTIONS




VSFXFIT34MS MAGNUM SERIES - XRIG[™] - 16.5' Climbing Rope Tower Kit (500 cm - 3.15" x 3.15" x 8 Gauge (8 x 8 cm. x 4 mm.) Oversize Steel Tube

- MAGNUM SERIES XRIG[™] Basic Upright Extension kit +52.7" (134 cm.) - 3.15" x 3.15" x 8 Gauge (8 x 8 cm. x 4 mm.) Oversize Steel Tube - x1KIT
- XRIG[™]- 6' Junction Bar (168 cm.) x1PCs
- XRIG[™] Junction Bar Anchoring Tool for Rings and Rope w/carabiners and swivel x2PCs

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
38 / 84	170	6	134
- Material: Powder coa - Steel tubes size: 60xt			Jack



XRIG[™] - PARTS AND OPTIONS



VSFXFIT06 XRIG[™]- 6' Asymmetric English Ladder Bar

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)		
5 / 11	168	26	12		
- Material: Powder coated steel - Color: Matte black					

- Steel tubes size: 32x4 mm. round.





WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
1/2	12	6	1

- Material: Powder coated steel - Color: Matte black

- Steel tubes size: 32x4 mm round.

- M.S. (to be used with English Ladder Bars or Wing Ladder Bars mounted on Magnum Series Configs)



XRIG[™] - PARTS AND OPTIONS


VSFXFIT15 XRIG[™] - 6' English Ladder Side-Bar

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
9.5 / 21	168	6	31
- Material: Powder coa	ited steel - C	olor: Matte I	olack

- Steel tubes size: 32x4 mm round.







Z VSFXFIT31 XRIG™ - 6' English Ladder Side-Bar w/Speal Fin	ishing
--	--------


WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)		
9.5 / 21	168	6	31		
 Material: Powder coat Steel tubes size: 32x4 			olack - speal		
▲ Speal steel bar required.	r may ear	ly get rust	ted. Frequ	ently maintena	nce is du




WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
6.5 / 14	108	6	31
 Material: Powder coa Steel tubes size: 32x 			olack









XRIG [™] - PART	ο ανό	PTIONS		
				at the test
		in Dull Ha farmer		
VSFXFIT04 XRI	6''"- 6' Bas	ic Pull-Up frame		
	(cm.) W (cn			
19 / 42 - Material: Powder coated	168 6	48		0
- Steel tubes size: 60x60x				P
- Pull-Up heights: 6'10"-7	7'6"-8'3" (only v	v/12' Uprights)		
				in the second second
VSFXFIT05 XRI	G™ - 4' Bas	sic Pull-Up frame		
WEIGHT (Kg./Lbs) L	(cm.) W (cm	n.) H (cm.)		an are a c
	108 6	48		
- Material: Powder coated				
- Steel tubes size: 60x60x - Pull-Up heights: 6'10"-7				
MAGN	UM			
VSFXFIT05MS	KRIG™ - 4'	Basic Pull-Up fram	(104 cm)	
		e used with Magnur		
	(cm.) W (cm 104 6	n.) H (cm.) 48		
- Material: Powder coated	steel - Color: Ma	atte black	I	
- Steel tubes size: 60x60x	3.5 mm. + 32x4	mm round tubes.		
- Pull-Up heights: 6'10"-7	νυ-οισι (UNIY V	wiz upiigiits)		
VSFXFIT22 XRI	G™ - 4' Pul	I-Up Double-Crossn	ember	
	(cm.) W (cn			
	108 6	38		8
- Material: Powder coated		atte black		
 Steel tubes size: 32x4 m 	m round tubes.			

XRIG[™] - PARTS AND OPTIONS

VSFXFIT28

VSFXFIT21

WEIGHT (Kg./Lbs)

6.5 / 14

WEIGHT (Kg./Lbs)

5/11

VSFXFIT23 XRIG[™] - 6' Pull-Up Double-Crossmember

XRIG[™] - 4' Muscle-Up Bar

W (cm.)

6

- Available also with the smoother speal finishing, for perfect muscle-ups (VSFXFIT36)

XRIG[™] - 6' Muscle-Up Bar

L (cm.) W (cm.) H (cm.)

6

H (cm.)

37

37

L (cm.)

108

- Pull-Up heights: 7'6"-8'-8'8"-9'5" (only w/12' Uprights)

168


- Pull-Up heights: 7'6"-8'-8'8"-9'5" (only w/12' Uprights)


- Material: Powder coated steel - Color: Matte black - Steel tubes size: 32x4 mm round tubes.

- Material: Powder coated steel - Color: Matte black


- Steel tubes size: 32x4 mm round tubes.

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
12 / 26.5	168	6	38
 Material: Powder coa Steel tubes size: 32x⁴ 		ololi matto i	olack
- Pull-Up heights: 6'1	0"-7'6"-8'3	" (only w/12	?' Uprights)









${ m \Delta}$ Speal steel bar may early get rusted. Frequently maintenance is duly required.
- Pull-Up heights: 7'6"-8'-8'8"-9'5" (only w/12' Uprights)
- Material - Powder oblied steer - Color. Matter black - spear - Steel tubes size: 32x4 mm round tubes.


VSFXFIT37 XRIG™ - 6' Muscle-Up Bar w/Speal Finishing

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)												
6.5 / 14	168	6	37												
Material: Powder coated steel - Color: Matte black - speal Steel tubes size: 32x4 mm round tubes.															
- Pull-Up heights: 7'6"-8'-8'8"-9'5" (only w/12' Uprights)															
\land Speal steel ba	r may ear	ly get rus	ted. Frequ	ently r	ma	inte	enai	nce	is	du	ly r	eqı	iired	í.	



	12"
T (Kg./Lbs) Dia. (cm.) B / 12.7 30	12"
I: Powder coated steel - Color: Matte black - Carabiner and Strap included	
- - IT53 XRIG™ - 5" Strongmen Pull-Up Marble	
IT (Kg./Lbs) Dia. (cm.)	
.2/2.6 13	5"
I: Powder coated steel - Color: Matte black - Carabiner and Strap included	
TT54 XRIG™ - 3" Strongmen Pull-Up Marble	
HT (Kg./Lbs) Dia. (cm.) .2 / 2.6 8	3"
I: Powder coated steel - Color: Matte black - Carabiner and Strap included	
TT55 XRIG™ - 3" Strongmen Pull-Up Marble w/carabiner and strap	
	3" SKE EDOK A Cross
HT (Kg./Lbs) Dia. (cm.)	
1.8 / 4 8 II: Powder coated steel - Color: Matte black - Carabiner and Strap included	
iT08 XRIG™ - 6' Top Cross Member	XENIUS
T (Kg./Lbs) L (cm.) W (cm.) H (cm.) 8 / 40 168 6 37	
I: Powder coated steel - Color: Matte black	
bes size: 32x4 mm round tubes.	
	Accument and a second sec
IT10 XRIG™ - 4' Top Cross Member	
T (Kg./Lbs) L (cm.) W (cm.) H (cm.)	
V	

XRIG[™] - PARTS AND OPTIONS



XRIG [™] - PA	RTS AN	ND OP1	TIONS			
/SAXFIT01	XRIG™ -	6' Offset	: Pull-Up Fran	10		1
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)			
45 / 99	168	40	48			
Material: Powder co	ated steel - C	l Color: Matte I	olack			
Steel tubes size: 60						
Pull-Up heights: 7's	9.9"-7'11.3"	-7'6.6"-8'8.	.3"-8'3"-9'5" (only	w/12' Uprights)		
/SAXFIT06	XRIG™ -	4' Offset	t Pull-Up Fran	10		
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)			
40 / 88	108	40	48			
Material: Powder co						
Steel tubes size: 60						
Pull-Up heights: 7's	9.9"-7'11.3"	-7'6.6"-8'8.	.3"-8'3"-9'5" (only	w/12' Uprights)		
VSAXFITOGMS WEIGHT (Kg./Lbs) 38 / 83				rame (104 cm.) m Series Rack)	NUM" Ries	
Material: Powder co						
Steel tubes size: 60						
Pull-Up heights: 7's	9.9"-7'11.3"	-7'6.6"-8'8.	.3"-8'3"-9'5" (only	w/12' Uprights)		319 cm.
			t Wing Ladder	- 4 steps		OFF THE GROUND
WEIGHT (Kg./Lbs) 46 / 101.5	L (cm.)	W (cm.) 180	H (cm.) 120			
46 / 101.5 Vaterial: Powder co						
Steel tubes size: 60:						ADJUSTABLE BAR APART DISTANCE
SAXFIT07	XRIG™ -	4' Offset	: Wing Ladder	- 4 steps		319 cm. OFF THE GROUND
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)			
29.5 / 65	136	120	120			
Material: Powder co						
Steel tubes size: 60:						

- Steel tubes size: 60x60x3.5 mm. + 32x4 mm round tubes.



ADJUSTABLE BAR APART DISTANCE


.




WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
5/11	112	10	27












VSFXFIT27 XRIG[™] - Long Corner Bar (175 cm.)

WEIGHT (Kg./Lbs)	.bs) L (cm.) W (cm.
8 / 18	175.5 10
	er coated steel - Color: Mat e: 32x4 mm round tubes.





XRIG[™] - PARTS AND OPTIONS

VSFXFIT12 XRIG[™]- 6' Base Crossmember WEIGHT (Kg./Lbs) W (cm.) THICK. (cm.) L (cm.) 50 / 110 208 34 1 **TO AVOID FLOOR DRILLING** - Material: Powder coated steel - Color: Matte black AND TO PROVIDE STABILITY ⚠ VSFXFIT03/16 are not included. **TO RKXFIT CONFIGS** VSFXFIT38 XRIG[™] - 4' Base Crossmember THICK. (cm.) WEIGHT (Kg./Lbs) L (cm.) W (cm.) 40 / 88 148 34 1 - Material: Powder coated steel - Color: Matte black ▲ VSFXFIT03/16 are not included. VSFXFIT40 XRIG[™] - 3' Base Crossmember (90 cm.) THICK. (cm.) WEIGHT (Kg./Lbs) W (cm.) L (cm.) 30 / 66 90 34 1 - Material: Powder coated steel - Color: Matte black VSFXFIT41 XRIG[™] - Paraller Bars 6' Base Cross Member (180 cm.) WEIGHT (Kg./Lbs) L (cm.) W (cm.) THICK. (cm.) 45 / 99 154 34 1 - Material: Powder coated steel - Color: Matte black KNOB-BOLT EQUIPPED TO PROVIDE MORE STABILITY VSAXFIT03 XRIG[™] - Dip Horns WEIGHT (Kg./Lbs) L (cm.) W (cm.) H (cm.) 9.5 / 21 70 61 29 - Material: Powder coated steel - Color: Matte black CAN BE SET FROM 35 TO 80 cm. OFF THE GROUND KNOB-BOLT EQUIPPED TO [**#**] PROVIDE MORE STABILITY MAGNUM SERIES - XRIG™ - Dip Horns **VSAXFIT03MS** - 8 Gauge (4 mm. steel thickness) WEIGHT (Kg./Lbs) L (cm.) W (cm.) H (cm.) 29

70 - Material: Powder coated steel - Color: Matte black

61

9.5 / 21

EQUIPMENT FOR THE FITTEST

CAN BE SET FROM 35 TO 80 cm. OFF THE GROUND

XRIG[™] - PARTS AND OPTIONS

VSAXFIT04

35 / 77

2.2 / 4.8


 \triangle Sold as a pair.

4.8 / 10.5

VSAXFIT08MS

VSAXFIT09

WEIGHT (Kg./Lbs) 4.8 / 10.5



28 / 62 66 9 29




VSAXFIT09MS				IG™ - Safety Spotter Arm Ige (8 x 8 cm. x 4 mm.) Oversize Steel Tube
WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)	
20 / 44	66	9	29	
- Material: Powder coa	ted steel - C	olor: Matte I	olack - Max	Load: 500 kg.



FOR FITTEST EQUIPMENT THE

XRIG[™] - PARTS AND OPTIONS


WEIGHT (Kg./Lbs) L (cm.) W (cm.) H (cm.) 4 / 9 43 6.5 14 - Material: Powder coated steel - Color: Matte black - Max Load: 300 kg. - Steel tubes size: 60x60x3.5 m.





WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)	
10 / 22	43	9	14	
- Material: Powder co	ated steel - C	Color: Matte I	olack - Max L	.02


Material: Powder coated steel - Color: Matte black - Max Load: 300 kg.
 Steel tubes size: 80x80x4 mm.





WEIGHT (Kg./Lbs) L (cm.) DIA. (mm.) H (cm.) 1.7 / 3.7 44 48 - - Material: Powder coated steel - Color: Matte black - Max Load: 300 kg. - Steel tubes size: 80x80x4 mm. - Steel tubes size: 80x80x4 mm. -
Material: Powder coated steel - Color: Matte black - Max Load: 300 kg. Steel tubes size: 80x80x4 mm.
- Steel tubes size: 80x80x4 mm.
⚠ VSFXFIT03/16 are not included.

XRIG[™] - PARTS AND OPTIONS



XRIG[™] - PARTS AND OPTIONS

VSAXFIT21 XRIG™ - Vertical Power Band Hook WEIGHT (Kg./Lbs) L (cm.) W (cm.) H (cm.) 2.5 / 5.5 15 9 7

- Material: Powder coated steel - Color: Matte black

VSAXFIT32

WEIGHT (Kg./Lbs)

5.2 / 11.5

L (cm.)

10

W (cm.) H (cm.)

15

16




VSAXFIT19 XRIG[™] - Horizontal Power Band Hook

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
2.5 / 5.5	11	8.5	9
- Material: Powder coa	ted steel - C	olor: Matte I	olack

XRIG[™] - Junction Bar Anchoring Tool for Rings and Rope w/carabiners and swivel







XRIG[™] - PARTS AND OPTIONS

VSAXFIT13 XRIG™ - Wall Ball Target


WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
8 / 17.6	100	45	16.5
- Material: Powder coa	ited steel - C	olor: Matte I	olack

- Steel tubes size: 60x60x3.5 mm.



$\textbf{VSAXFIT43} \qquad \textbf{XRIG}^{\texttt{TM}} \textbf{ - Offset Double Wall Ball Target}$






VSAXFIT44 XRIG[™] - HandStand Board Kit

- XRIG[™] - HandStand Boar Kit - Hardware (6' RIG or 4' RACK mounting) - x1KIT - XRIG[™]- HandStand Wood Board (250 cm. x 118 cm. x 1.8 cm.) - x1PCs

WEIGHT (Kg./Lbs)	L (cm.)	H (cm.)	THICK. (cm.)
20 / 44	100	210	1.8
 Material: Plywood - C Equipped w/hardward 		and 4' RACk	<

XRIG[™] - PARTS AND OPTIONS






XRIG[™] - PARTS AND OPTIONS VSAXFIT47 XRIG[™] - 6' Learning Pull-Up Bar ADJUSTABLE HEIGHT - PERFECT FOR LEARNING PURPOSES WEIGHT (Kg./Lbs) L (cm.) W (cm.) H (cm.) 15 8 / 17.6 166 6 - Material: Powder coated steel - Color: Matte black - Steel tubes size: 32x4 mm round tubes. VSAXFIT49 XRIG[™] - 4' Vertical Ladder Kit (7 steps) WEIGHT (Kg./Lbs) L (cm.) W (cm.) H (cm.) 35 / 77 108 -- Material: Powder coated steel - Color: Matte black - Steel tubes size: 32x4 mm round tubes. VSAXFIT64 XRIG[™] - 6' Vertical Ladder Kit (168 cm.) WEIGHT (Kg./Lbs) W (cm.) H (cm.) L (cm.) 35 / 77 168 -- Material: Powder coated steel - Color: Matte black - Steel tubes size: 32x4 mm round tubes. VSAXFIT60 XRIG[™] - Bleech Wood Swedish Ladder Rig-Mounting Kit (to be used with PSSLW01)

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
12 / 26	178	18.5	17.5
- Material: Powder coa - Steel tubes size: 60x6			olack




XRIG[™] - PARTS AND OPTIONS





WEIGHT (Kg./Lbs) L (cm.) W (cm.) H (cm.)


7 / 15.5	110	6	31
 Material: Powder coa Steel tubes size: 60x 			olack



XRIG[™] - PARTS AND OPTIONS


VSAXFIT24 XRIG[™] - Wing Ladder Reverse Connection - (to be used to build the RKXFIT10 config)

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
6 / 13	23	6.5	34
 Material: Powder coa To be used to build the 			olack



4 / 8.8	15						· · · · · · · · · · · · · · · · · · ·	
		7	2	25				
Material: Powder ca To be used with VS		- Color: Ma	atte black			6	HANDLES CA APART OR B	AN MOVE
SAXFIT25 WEIGHT (Kg./Lbs) 30 / 66 Material: Nylon - Ck Rope diameter: 18	360 Color: Matte bla) W (cr 21(m.) H (c	jo Net cm.) -	E <u>\</u> <u>A</u> 1 11" (30x:	ORDERS ROPE YELETS FOR EASY TTACHMENT 30 cm.) MESH OPENINGS		

XRIG[™] - PARTS AND OPTIONS



RE-HAB AND MOBILITY

ΤM

RE-HAB AND MOBILITY



XSMUEST11

- Lenght: 100 cm. - Resistance: 1.5 Kg.

Crossover Workout Kit

- XRIG™and RACK option Carabiner Anchoring Tool x2PCs
- 24" Strap anchor w/ring (60 cm.) x2PCs
- Crossover Workout 3 Lbs x 47" XLight Elastic Tube w/handle x2PCs
- Lenght: 120 cm. Resistance: 1.5 Kg.
- Crossover Workout 5 Lbs x 47" Light Elastic Tube w/handle x2PCs - Lenght: 120 cm. - Resistance: 2.5 Kg.
- Crossover Workout 7 Lbs x 47" Medium Elastic Tube w/handle x2PCs
- Lenght: 120 cm. Resistance: 3,5 Kg.
- Crossoverworkout Kit Nylon Carry Bag x1PC

Crossover Workout - 3 Lbs x 47" XLight Elastic Tube







XSMUEST13 Crossover Workout - 7 Lbs x 47" Medium Elastic Tube - Lenght: 100 cm. - Resistance: 3.5 Kg.

XSMUEST14 Crossover Workout - 12 Lbs x 47" Heavy Elastic Tube w/handle - Lenght: 115 cm. - Resistance: 5.5 Kg.







RIG™ - PARTS AND OPTIONS

SPECIAL

tex

VSAXFIT23/23

XRIG[™] - PARTS AND OPTIONS

VSAXFIT22 XRIG[™] - Back-Bone-Like Boxing Bag

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
30 / 110	-	-	100

- Material: Leather - Color: Black

- Diameter: 30 cm. Carbon-look "BTEX" Fabric 2IM antifire class certified
- Chains, Swivel hook and Carabiner included



VSAXFIT23 XRIG[™] - Back-Bone-Like Boxing Bag

WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
50 / 110	-	-	100

- Material: Leather - Color: Black

- Diameter: 30 cm. - Carbon-look "BTEX" Fabric - 2IM antifire class certified - Chains, Swivel hook and Carabiner included

XSXFITMAT01 Crash Mat - 6.6' x 3.3' x 2" with handles

,	WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
	2 / 4.5	200	100	5
-	Anti-slip bottom s		ity 80° - S	anitized "I

- Can fit XFit RIG and RACK

XSXFITMAT02 Crash Mat - 6.6' x 3.3' x 8" with handles

XSXFITMAT03	Crash Mat - 6.6' x 3.3' x 19.5" with handles
-------------	--

	WEIGHT (Kg./Lbs)	L (cm.)	W (cm.)	H (cm.)
	20 / 44	200	100	50
- Anti-slip bottom side - Density 16° - Sanitized "E				

- Can fit XFit RIG and RACK










XENIOS USA® T-SHIRT

XENIOS USA® T-SHIRT COACH

XENIOS USA® T-SHIRT ATHLETE





XENIOS USA® BRACELETS



Rev. 2015/03

XENIOS USA WARRANTY Thanks for choosing a Xenios USA product!

Xenios USA[®] products, except for what mentioned in written for some special items^{*}, carry a limited two years warranty against breakages and damages, just for the original owner (who need to prove his status by having the original purchase document). Xenios USA[®] warranty's rights are not transferable. Xenios USA[®] warranty time-frame starts from the date of purchase of each product. As stated on to the original purchase document.

Xenios USA® products carry a limited 30 days warranty against evident by-factory manufacturing defects, for the original owner. Should any defects be present on items' delivery, due to problems occurred during shipment, evidenced by a damaged and/or mishandled packaging, warranty will be effective just if the delivery was checked and accepted by the recipient by following the goods-checking rules. The delivery and goods-checking rules sheet is always attached to the shipped parcel/s. A copy of the same can be anyway downloaded from our website: www.xeniosusa.com

Xenios USA® warranty doesn't provide to the customers any product returning right but in case of evident breakages and/or damages of the same.

Any product returning policy will be stated and ruled by each Xenios USA® Dealer and/or Re-seller according to his own Country Laws and Regulations about the consumers' rights care.

Xenios USA LLC or one of its International Licensers, Agents and/or Dealers (local and/or international), in case of any warranty intervention, will repair or replace the damaged and/or broken items, previously returned by the customers, at their own, so to be inspected by Xenios USA LLC or one of his International Licensers, Agents and/or Dealers (local and/or international), in order to evaluate the validity of the warranty terms. Xenios USA LLC, its International Licensers, Agents and/or Dealers will not be bound by further purchaser's own Country laws and regulations on products' warranty, unless they are issued by the same Country from where goods are invoiced and/or shipped.

Xenios USA[®] products are not guaranteed against any kind of damage and/or breakage and/or consequence, resulting from an improper use and/or a misuse, and/or a mishandling, misapplication, alteration or modification, and/or abuse of them and/or a shortage of care and maintenance (Please refer also to the "Safety and Usage Guide" and "Care and Maintenance Guide" for the Xenios USA[®] products. Both can be downloaded from our website www.xeniosusa.com). Xenios USA[®] Warranty will not cover any damage occurred to properties and/or persons and/or animals, during the assembling and/or installing procedures of the Xenios USA[®] products (made by the users) and/or while they are used. Any Xenios USA[®] product carry its own User and Assembly Manual (where required by the kind of the item), along with the Warranty Card, where special warranties about the assembling, installing and use of the same product are mentioned on. The Xenios USA[®] products are training tools and they need to be used for such purpose. They are not a toy and so children should always use the same being looked after by adults. Xenios USA[®] always recommend to use any workout tools under the guide of expert trainers and just by keep being checked-up by a physician on a regular basis.

Xenios USA[®] warranty doesn't cover the considered standard wear consequences, (as mere example: chipping or fading out of painting and/or colors and/or chrome-finishing is considered normal wear by the use).

Xenios USA[®] warranty validity is always subjected to the previous inspection of the damaged and/or broken products, by Xenios USA LLC or one of his International Licensers, Agents and/or Dealers. Xenios USA[®] Warranty doesn't cover costs of removal and/or transportation for the Xenios USA[®] products sent by the customers to be inspected (just when needed).

In case of any failure or breakage of any Xenios USA[®] product, which may be covered under warranty, a formal warranty claim should be submitted to Xenios USA LLC, through the warranty form, at www.xeniosusa.com or directly at one of the Xenios USA[®] international Licensers, Agents and/or Dealers from where the product was bought.

Xenios USA LLC reserves the right to make changes on the design and/or materials and/or features and/or sizes of any Xenios USA[®] product, without any formal notice. Xenios USA[®] warranty will not cover any claim for products' specs and/or feature and/or outlook differences compare with the ones published on to any Xenios USA[®] marketing mean.

The here above Warranty rules are not applicable to the Dealers and Re-sellers purchases that will be ruled by the relevant Laws and regulations about wholesalers' business kind.

CARE, MAINTENANCE, SAFETY AND USAGE

All Xenios USA[®] products must be periodically inspected and maintained for longer lifespan, to avoid any kind of earlier wearing and to make sure products keep being safe for users. For a proper care of all the Xenios USA[®] products, please refer to our web site, www.xeniosusa.com, where all the care and maintenance guides can be downloaded from. Warranty will void in case of unproper care and maintenance of Xenios USA[®] products. Xenios USA[®] recommends to follow all safety and usage instructions before to use any Xenios USA[®] product. Safety and usage guides can be downloaded at www.xeniosusa.com. Any Xenios USA[®] product carry a user and assembly manual (when required by the kind of the item), along with a warranty cards. Xenios USA LLC recommends/to carefully read them before to install, assembly and use any product.

A daily basis inspection and maintenance of the Xenios USA[®] products will let them last longer and it will also avoid any kind of damage and/or personal injury by using them. Xenios USA LLC or his international licensers, agents and/or dealer will not be responsible for any kind of damage and/or personal injuries caused by the use of a careless or maintenance-less product.

Xenios USA[®] reserves the right to change product design, construction materials and specifications at any time without notice. While every effort has been made to ensure that all graphic representations and descriptions of goods available from Xenios USA[®] correspond to the actual goods, Xenios USA[®] and/or its dealers and/or its international agents are not responsible for any variations from these descriptions. Error & omissions excepted. Some of the products could not be available within all countries.



© XENIOS USA LLC – NY (USA) all rights reserved. The use and the copy of all the contents are not allowed, without the authorization of XENIOS USA LLC.

XENIOS USA[®] trademark and all the Registered Design Patents are owned by and used under the license from XENIOS USA LLC – NY (USA)